

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 22
 Name: **ADM Growmark, Memphis Dock.**
 Location: Mile 5.5, right bank, Industrial Channel, 250 feet below foot of Dock Street; mile 725.5 AHP, left bank, Datum: LWRP
 Operator: ADM Growmark, Inc.
 Owner: ADM Growmark, Inc.
 Address: 1811 Dock Street Phone: 901-946-2593
 Town: Memphis State: TN County: Shelby
 Railway Connection: One surface track with spur serves railcar pit at rear; connects with Illinois Central Railroad, Union Pacific Railroad, and Burlington Northern Railroad.
 Purpose: Receipt and shipment of grain, essentially wheat, soybeans, milo and corn.
 Depth Alongside (feet): 10 | | Latitude (decimal): 35.094444
 Total Berthing Space (feet): 250 | | Longitude (decimal): -90.10472
 Remarks: Grain elevator at rear consists of 10 concrete silos, 7 steel tanks, and one 200- by 100-foot, flat storage building, total capacity 2,500,000 bushels. □
 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 22300 Dock Code: 953 Memphis District

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 15
 Name: **ADM River Port, Memphis Dock.**
 Location: Mile 6.3, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
 Operator: ADM River Port Corp.
 Owner: ADM River Port Corp.
 Address: 1245 Channel Avenue Phone: 901-948-5581
 Town: Memphis State: TN County: Shelby
 Railway Connection: Two surface tracks serve terminal at rear, connect with Illinois Central Railroad, Union Pacific Railroad, Southern Pacific Railroad, and Burlington Northern Railroad.
 Purpose: Receipt and shipment of petroleum products and bulk liquid commodities including ethanol and vegetable oils. (See Remarks.)
 Depth Alongside (feet): 20 | | Latitude (decimal): 35.100278
 Total Berthing Space (feet): 372 | | Longitude (decimal): -90.09417
 Remarks: Terminal operates as public, liquid-bulk storage facility. Wharf has 5 deck levels for operating at varying stages of water. Four 8-inch pipelines extend from wharf to thirteen steel storage tanks at rear, tota barrels.
 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 22300 Dock Code: 905 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 34
 Name: **Cargill Corn Starch and Syrup Division, Memphis Dock.**
 Location: Mile 3.2, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
 Memphis.
 Operator: Cargill Corn Starch and Syrup, Division of Cargill, Inc.
 Owner: Cargill Corn Starch and Syrup, Division of Cargill, Inc.
 Address: 2330 Buoy Street Phone: 901-775-5800
 Town: Memphis State: TN County: Shelby
 Railway Connection: Surface tracks serving plant at rear connect with Illinois Central Railroad, Union Pacific
 Railroad, and Burlington Northern Railroad.
 Purpose: Receipt of grain (corn), shipment of feed products.
 Depth Alongside (feet): 10 | | Latitude (decimal): 35.080278
 Total Berthing Space (feet): 240 | | Longitude (decimal): -90.13417
 Remarks: Grain elevator at rear consists of 6 concrete silos with 2 interstices, and 1 steel storage tank, total
 capacity 1,325,000 bushels. Barge hatch covers are handled by floating cranes based at adjacent
 Weper Mari
 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 22300 Dock Code: 992 Memphis District

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 23
 Name: **Cargill, Memphis Soybean-Processing Plant Dock.**
 Location: Mile 5.4, right bank, Industrial Channel, 800 feet below foot of Dock Street; mile Datum: LWRP
 725.5 AHP, left bank,
 Operator: Cargill, Inc., Domestic Soybean Crushing Division.
 Owner: Cargill, Inc., Domestic Soybean Crushing Division.
 Address: 1877 Channel Avenue. Phone: 901-775-3706
 Town: Memphis State: TN County: Shelby
 Railway Connection: Surface tracks serving elevator and railcar pit at rear; connect with Illinois Central
 Railroad, Union Pacific Railroad, and Burlington Northern Railroad.
 Purpose: Receipt and shipment of grain (soybeans); receipt of soybean oil.
 Depth Alongside (feet): 11 | 11 | Latitude (decimal): 35.093333
 Total Berthing Space (feet): 200 | 400 | Longitude (decimal): -90.10556
 Remarks: One 6-inch, soybean oil pipeline extends to wharf from 7 storage tanks at rear, total capacity 2,023,000
 gallons. Grain elevator at rear has 8 steel soybean storage tanks, total capacity 4,800,000 bushels.
 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 22300 Dock Code: 954 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 35
 Name: **Chemtec Industries Memphis Dock.**
 Location: Mile 2.9, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
 Memphis.
 Operator: Chemtec Industries, Inc.
 Owner: Chemtec Industries, Inc.
 Address: 2701 Channel Avenue Phone: 901-775-2100
 Town: Memphis State: TN County: Shelby
 Railway Connection: One surface track at rear connects with Illinois Central Railroad, Union Pacific Railroad,
 and Burlington Northern Railroad.
 Purpose: Receipt of liquid bulk commodities, including petroleum products and chemicals.
 Depth Alongside (feet): 9 | | Latitude (decimal): 35.081111
 Total Berthing Space (feet): 195 | | Longitude (decimal): -90.13833
 Remarks: Terminal operates as public, liquid bulk storage facility. Three 6-inch pipelines extend from wharf to 7
 steel storage tanks at rear, total capacity 64,000 barrels. One 120- by 200-foot building is used for sto
 products.
 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 22300 Dock Code: 993 Memphis District

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 37
 Name: **Chicago Bridge and Iron Co., Memphis Wharf.**
 Location: Mile 2.4, right bank, Tennessee Chute; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
 Memphis.
 Operator: Naval Surface Warfare Center, Detachment Memphis.
 Owner: Chicago Bridge and Iron Co., Inc.
 Address: 2700 Channel Avenue Phone: 901-947-3117
 Town: Memphis State: TN County: Shelby
 Railway Connection: Surface track at 137.5-foot radius from 'Ichabod' extends from lower side of crane to
 building at rear. Additional surface track at rear connects with Illinois Central Railroad,
 Union Pacific & B.NorthernRailr
 Purpose: Receipt and shipment of heavy-lift items. (See Remarks.)
 Depth Alongside (feet): 13 | | Latitude (decimal): 35.084444
 Total Berthing Space (feet): 614 | | Longitude (decimal): -90.14417
 Remarks: At time of survey (1992), plant was leased as laboratory by U.S. Navy. 'Ichabod' has the following
 capacities: □ Reach (Feet) (1) Load(tons) Radius Ft. Ring(1)
 Outboard(2) Notes □ 1,148 105 36 - (1) from circumference □ 1,112
 140 71 34 of truck-ring. 800 160 91 54 (2) from face of
 wharf □ 631 180 111 74 □ 500 200 131 94 355 220
 151 114 □ 230 240 171 134 □ 150 255 186 149 Crane has whip
 line having capacity of 100 tons at any radius.
 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 22300 Dock Code: 995 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 17
Name: **Cummings Marine Service, Memphis Fleet Mooring.**
Location: Mile 6.1, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
Memphis.
Operator: Cummings Marine Service.
Owner: Cummings Marine Service.
Address: Phone: 601-429-7556
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring and repairing company-owned, floating equipment; mooring barges for fleetings.
Depth Alongside (feet): - 12 | - 12 | Latitude (decimal): 35.099722
Total Berthing Space (feet): 80 | 500 | Longitude (decimal): -90.09667
Remarks: Fleetings area is opposite wharf on Treasure Island. Barges are arranged in 2 tiers, each 3 barges
wide. Towboats moor end-to at wharf.□
Year of Last Survey: 1993 Corps of Engns Waterway Code: 22300 Dock Code: 930 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 16
Name: **Elf Asphalt, Memphis Dock.**
Location: Mile 6.2, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
Memphis.
Operator: Elf Asphalt, Inc.
Owner: Elf Asphalt, Inc.
Address: 1285 Channel Avenue Phone: 901-942-1995
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track serves 12-station, car-loading rack at rear, connects with Illinois Central
Railroad, Union Pacific Railroad, Southern Pacific Railroad, and Burlington Northern
Railroad.
Purpose: Receipt and shipment of asphalt.
Depth Alongside (feet): 20 | | Latitude (decimal): 35.100278
Total Berthing Space (feet): 247 | | Longitude (decimal): -90.095
Remarks: One 8-inch pipeline extends from wharf to 10 steel storage tanks at rear, total capacity 116,000
barrels.□
Year of Last Survey: 1993 Corps of Engns Waterway Code: 22300 Dock Code: 909 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 25
 Name: **Ergon, Inc., Memphis Lower Dock.**
 Location: Mile 5.2, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
 Memphis.
 Operator: Ergon, Inc.
 Owner: Ergon, Inc.
 Address: 1989 Channel Avenue Phone: 901-774-7463
 Town: Memphis State: TN County: Shelby
 Railway Connection: Three surface tracks serving tank-car loading rack at rear, total capacity 30 cars; connect
 with Illinois Central Railroad, Union Pacific Railroad, and Burlington Northern Railroad.
 Purpose: Receipt and shipment of petroleum products, asphalt, miscellaneous chemicals, and vegetable oils;
 handling marine supplies and ships' stores; landing for water taxi. Mooring mid-stream fueling
 barge.Remks.)
 Depth Alongside (feet): 11 | 9 | Latitude (decimal): 35.090556
 Total Berthing Space (feet): 200 | 60 | Longitude (decimal): -90.10722
 Remarks: Wharf has 3 deck-levels for operating at various stages of water. One 8-, and four 6-inch pipelines
 extend from wharf to 11 steel storage tanks at rear, total capacity 380,000 barrels. Six passenger, 250
 horsep crewboat 'Little Fletch' is based at float.
 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 22300 Dock Code: 975 Memphis District

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 24
 Name: **Ergon, Inc., Memphis.**
 Location: Mile 5.3, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
 Memphis.
 Operator: Ergon, Inc.
 Owner: Ergon, Inc.
 Address: 1989 Channel Avenue Phone: 901-774-7463
 Town: Memphis State: TN County: Shelby
 Railway Connection: None.
 Purpose: Receipt and shipment of petroleum products, chemicals, and vegetable oils. (See Remarks.)
 Depth Alongside (feet): 9 | | Latitude (decimal): 35.090833
 Total Berthing Space (feet): 200 | | Longitude (decimal): -90.10667
 Remarks: Facility operates as public, liquid bulk terminal. Wharf has 5 deck levels for operating at varying stages
 of water. Five 8-inch pipelines extend to 5 steel storage tanks at rear, total capacity 160,000 barrels
 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 22300 Dock Code: 975 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 19
Name: **Helm Fertilizer Terminal, Memphis Liquid Fertilizer Dock.**
Location: Mile 5.9, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
Memphis.
Operator: Helm Fertilizer Terminal, Inc.
Owner: Helm Fertilizer Terminal, Inc.
Address: 1421 Channel Avenue Phone: 901-948-3303
Town: Memphis State: TN County: Shelby
Railway Connection: Three surface tracks at rear connect with Illinois Central Railroad, Southern Pacific
Railroad, and Burlington Northern Railroad.
Purpose: Receipt of anhydrous ammonia.
Depth Alongside (feet): 11 | | Latitude (decimal): 35.098611
Total Berthing Space (feet): 280 | | Longitude (decimal): -90.09833
Remarks: Facility operates as public, liquid- and dry-bulk terminal (See Remarks Ref. No. 18). Face of wharf and
dolphins are in line with face of adjacent wharf (Ref. No. 18), providing 280 feet of berthing space. One
3-inch pipelines extend from wharf to 14 steel storage tanks at rear, total capacity 8,160,000 gallons.
Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22300 Dock Code: 940 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 11
Name: **MAPCO Petroleum, Inc., Memphis North Dock.**
Location: Mile 6.4, left bank, McKellar Lake above mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
Memphis.
Operator: MAPCO Petroleum, Inc.
Owner: MAPCO Petroleum, Inc.
Address: 543 West Mallory Avenue Phone: 901-774-3100
Town: Memphis State: TN County: Shelby
Railway Connection: Tracks serving refinery at rear connect with Illinois Central Railroad.
Purpose: Receipt and shipment of petroleum products; occasional shipment of spent caustic soda; and loading
midstream fueling barges.
Depth Alongside (feet): 11 | | Latitude (decimal): 35.086111
Total Berthing Space (feet): 740 | | Longitude (decimal): -90.08944
Remarks: Five 8-inch pipelines extend from wharf to 11 steel storage tanks at refinery in rear, total capacity
940,000 barrels for petroleum products, and one 10,000-barrel, steel tank for spent caustic soda. Face
of wha adjacent wharf and dolphins (Ref. No. 10) on lower side, providing a total of 740 feet of berthing
space.
Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22300 Dock Code: 873 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 10
 Name: **MAPCO Petroleum, Inc., Memphis South Dock.**
 Location: Mile 6.2, left bank, McKellar Lake, 400 feet above mouth of Nonconnah Creek; mile 725.5 AHP, left bank, Datum: LWRP
 Operator: MAPCO Petroleum, Inc.
 Owner: MAPCO Petroleum, Inc.
 Address: 543 West Mallory Avenue Phone: 901-774-3100
 Town: Memphis State: TN County: Shelby
 Railway Connection: None.
 Purpose: Receipt and shipment of petroleum products and chemicals; loading midstream fueling barges.
 Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 35.085556
 Total Berthing Space (feet): 740 | | Longitude (decimal): -90.09028
 Remarks: Face of wharf and dolphins are in line with adjacent wharf (Ref. No. 11) on upper side, providing a total of 740 feet of berthing space. Four 6-inch pipelines extend from wharf to 12 steel storage tanks at rear, 720,000 barrels.
 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 22300 Dock Code: 871 Memphis District

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 30
 Name: **Matlack, Inc., Memphis Dock.**
 Location: Mile 4.1, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
 Operator: Matlack, Inc.
 Owner: Matlack, Inc.
 Address: 2459 Channel Avenue Phone: 901-774-8897
 Town: Memphis State: TN County: Shelby
 Railway Connection: Surface tracks serving area at rear, connect with Illinois Central Railroad, Union Pacific Railroad, and Burlington Northern Railroad.
 Purpose: Receipt and shipment of miscellaneous liquid and dry bulk commodities. (See Remarks.)
 Depth Alongside (feet): 8 | | Latitude (decimal): 35.08
 Total Berthing Space (feet): 195 | | Longitude (decimal): -90.12111
 Remarks: At time of survey (1992), facility was under renovation, and upon completion will operate as a public, liquid and dry bulk terminal. Terminal occupies 42 acres with 2,500 feet of channel frontage. Mechanical-ha pipelines, and tankages had not yet been determined.
 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 22300 Dock Code: 987 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 31
 Name: **Memphis Marine Service, Inc., Memphis Dock and Fleet Mooring.**
 Location: Mile 3.9, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
 Memphis.
 Operator: Memphis Marine Service, Inc.
 Owner: Memphis Marine Service, Inc.
 Address: 2402 Pier Street Phone: 901-775-0725
 Town: Memphis State: TN County: Shelby
 Railway Connection: None.
 Purpose: Mooring company-owned floating equipment, and barges for fleetings.
 Depth Alongside (feet): 9 | 9 | Latitude (decimal): 35.078889
 Total Berthing Space (feet): 235 | 100 | Longitude (decimal): -90.12472
 Remarks: Barges are moored end-to bank and doubled when water stage permits.□□
 Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22300 Dock Code: 989 Memphis District

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 14
 Name: **Mid-South Terminal Company Ltd., Memphis Wharf.**
 Location: Mile 6.5, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
 Memphis.
 Operator: Mid-South Terminal Company Ltd.
 Owner: Memphis and Shelby County Port Commission.
 Address: 1073 Channel Avenue Phone: 901-775-0500
 Town: Memphis State: TN County: Shelby
 Railway Connection: Surface track on wharf and trestles, with additional trackage at terminal in rear, connects
 with Illinois Central Railroad, Union Pacific, Southern Pacific, and Burlington Northern
 Railroads.Railroad.Company.Pa
 Purpose: Receipt and shipment of conventional and containerized general cargo; and miscellaneous dry and
 liquid bulk commodities including grain, fertilizer, ammonia, caustic soda, vegetable oil, and lubricating
 oil.
 Depth Alongside (feet): 9 | | Latitude (decimal): 35.101667
 Total Berthing Space (feet): 918 | | Longitude (decimal): -90.09028
 Remarks: A total of 1,800 feet of berthing space is available including natural bank above and below wharf. Dry
 bulk transit shed has a capacity for 16,000 tons of fertilizer, or other bulk commodities. Two 6-, and
 one from wharf to two caustic soda tanks, total capacity 960,000 gallons; to one 480,000-gallon,
 caustic potash tank; and to one 1,053,000-gallon, anhydrous ammonia tank, at rear. In addition, two 6-
 inch pipeline connectare used for shipment of lubricating oil and vegetable oil directly to tank barges
 from rail tank car or tank truck. Terminal has a 15-acre, open storage area and warehouses for storing
 steel and gene
 Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22300 Dock Code: 903 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 13
Name: **Montgomery Truck Line, Memphis Mooring.**
Location: Mile 6.7, left bank, McKellar Lake; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
Operator: William C. Ellis.
Owner: Memphis and Shelby County Port Commission.
Address: Phone: 901-947-149189
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.105
Total Berthing Space (feet): 1000 | | Longitude (decimal): -90.08556
Remarks: -□□

Year of Last Survey: 1993 Corps of Eng'rs Waterway Code: 22300 Dock Code: 904 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 28
Name: **Peavey Co., Memphis Grain Elevator Dock.**
Location: Mile 4.7, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
Operator: Not operated.
Owner: Peavey Company.
Address: 2256 Wharf Street Phone: 901-774-8790
Town: Memphis State: TN County: Shelby
Railway Connection: One 12-car capacity, surface track serving undertrack pit and elevator at rear connects with Illinois Central Railroad, Union Pacific Railroad, and Burlington Northern Railroad.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.084167
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.11111
Remarks: At time of survey (1992), elevator was not in operation, however, equipment was operable. Grain elevator at rear consists of 4 concrete bins and 2 steel tanks, total capacity 750,000 bushels. An unused steel pil with trestle approach is located on lower side.

Year of Last Survey: 1993 Corps of Eng'rs Waterway Code: 22300 Dock Code: 984 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 32
Name: **River Cement Co., Memphis Terminal Dock.**
Location: Mile 3.7, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
Memphis.
Operator: River Cement Co.
Owner: River Cement Co.
Address: 2415 Pier Street Phone: 901-948-7646
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track serving loading spouts, and one serving undertack pit connect with
Illinois Central, Union Pacific and Burlington Northern Railroad.
Purpose: Receipt of bulk cement by barge.
Depth Alongside (feet): 8 | | Latitude (decimal): 35.078611
Total Berthing Space (feet): 525 | | Longitude (decimal): -90.12639
Remarks: At low water stage, a 195- by 35-foot, breasting barge is used when unloading barges. Two 10-inch,
pneumatic pipelines extend from wharf to 4 concrete storage silos at rear, total capacity 15,000 tons;
unloading 250 tons per hour.
Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22300 Dock Code: 990 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 26
Name: **Suburban Propane Memphis Dock.**
Location: Mile 5.1, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
Memphis.
Operator: Suburban Propane, Inc.
Owner: Suburban Propane, Inc.
Address: 2029 Channel Avenue Phone: 901-774-7115
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track serving tank-car-unloading rack at rear; connects with Illinois Central
Railroad, Union Pacific Railroad, and Burlington Northern Railroad.
Purpose: Receipt of petroleum products, including liquid propane; and receipt of liquid fertilizer.
Depth Alongside (feet): 5 | | Latitude (decimal): 35.089167
Total Berthing Space (feet): 273 | | Longitude (decimal): -90.10806
Remarks: Wharf has 4 deck-levels 10 feet apart, each with 6-inch hose connection for operating at varying
stages of water. One 10- and one 8-inch pipelines extend to 5 petroleum storage tanks, total capacity
84,700 barre 4-inch pipelines extend to 15 liquid, propane storage tanks, total capacity 27,000 barrels;
and one 6-inch pipeline extends to 2 liquid fertilizer storage tanks, total capacity 2,000,000 gallons.
Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22300 Dock Code: 977 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 6
 Name: **Thomas H. Allen Fossil Plant, Memphis Wharf.**
 Location: Mile 3.0, left bank, entrance to McKellar Lake Power Plant Slip; mile 725.5 AHP, left bank, Mississippi Datum: LWRP
 Operator: Tennessee Valley Authority.
 Owner: Tennessee Valley Authority.
 Address: 2574 Plant Road Phone: 901-785-7900
 Town: Memphis State: TN County: Shelby
 Railway Connection: Surface tracks serving plant at rear connect with Illinois Central Railroad.
 Purpose: Receipt of coal and fuel oil for plant consumption.
 Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 35.075833
 Total Berthing Space (feet): 2330 | | Longitude (decimal): -90.145
 Remarks: Open storage area at rear has capacity for 560,000 tons. One 8-inch pipeline extends from second dolphin from lower end to 4 steel storage tanks at rear, total capacity 47,600 barrels. Facility has capacity for 30 loaded barges on upper side and 30 empty barges on lower side.
 Year of Last Survey: 1993 Corps of Engns Waterway Code: 22300 Dock Code: 830 Memphis District

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 29
 Name: **Trumbull Company, Memphis Dock.**
 Location: Mile 4.4, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Memphis Datum: LWRP
 Operator: Trumbull Company, Division of Owens-Corning Fiberglas Corp.
 Owner: Trumbull Company, Division of Owens-Corning Fiberglas Corp.
 Address: 2301 Channel Avenue Phone: 901-774-7770
 Town: Memphis State: TN County: Shelby
 Railway Connection: One surface track at rear serving tank-car-unloading rack connects with Illinois Central Railroad, Union Pacific Railroad, and Burlington Northern Railroad.
 Purpose: Receipt of asphalt.
 Depth Alongside (feet): 9 | | Latitude (decimal): 35.082222
 Total Berthing Space (feet): 360 | | Longitude (decimal): -90.115
 Remarks: Wharf has lower platforms for each 4 feet variance of water stage. One 10-inch, steam-traced pipeline extends from wharf to 9 steel storage tanks at rear, total capacity 149,000 barrels.
 Year of Last Survey: 1993 Corps of Engns Waterway Code: 22300 Dock Code: 986 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 7
 Name: **U.S. Army Corps of Engineers, Memphis; Ensley Yard Wharf.**
 Location: Mile 4.0, left bank, McKellar Lake; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
 Operator: U.S. Army Corps of Engineers.
 Owner: U.S. Government.
 Address: 1726 Mitchell Road W. Phone: 901-785-6062
 Town: Memphis State: TN County: Shelby
 Railway Connection: One surface track on trestle joins additional trackage serving yard at rear; connects with Illinois Central Railroad.
 Purpose: Mooring government-owned floating equipment.
 Depth Alongside (feet): 12 | | Latitude (decimal): 35.073333
 Total Berthing Space (feet): 6600 | | Longitude (decimal): -90.12083
 Remarks: Barges are permanently anchored to timber and steel pipe pile breasting dolphins; and cables extend to shore anchors at rear. One 3,920-, and one 400-short ton, floating drydocks are used for repair of government. An additional mile of berthing is available on upper side with shore moorings. Ensley Yard occupies 155 acres, and is equipped with machine and other repair shops necessary to make any above- or below-waterline repair equipment.
 Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22300 Dock Code: 835 Memphis District

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 12
 Name: **UNOCAL Corp., Memphis Dock.**
 Location: Mile 6.8, left bank, upper end, McKellar Lake; mile 725.5 AHP, left bank, Mississippi River, Memphis, Datum: LWRP
 Operator: UNOCAL Corp. (See Remarks.)
 Owner: UNOCAL Corp.
 Address: 1235 Riverside Boulevard Phone: 901-774-8990
 Town: Memphis State: TN County: Shelby
 Railway Connection: None.
 Purpose: Receipt and shipment of petroleum products.
 Depth Alongside (feet): 16 | | Latitude (decimal): 35.113611
 Total Berthing Space (feet): 390 | | Longitude (decimal): -90.08472
 Remarks: Six 10-inch pipelines extend from wharf to three terminals in rear: UNOCAL Corp.: 4 storage tanks, total capacity, 125,000 barrels; Petroleum Fuel and Terminal Co., Subsidiary of Apex Oil Co.: 7 storage tanks, 140,000 barrels; and Truman Arnold Co.: 13 storage tanks, total capacity 124,400 barrels.
 Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22300 Dock Code: 900 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 21
Name: **Valley Terminal Company Memphis Wharf.**
Location: Mile 5.6, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
Memphis.
Operator: Valley Terminal Co., Inc.
Owner: Valley Terminal Co., Inc.
Address: 1836 Dock Street Phone: 901-946-2596
Town: Memphis State: TN County: Shelby
Railway Connection: Two surface tracks on wharf extend through transit shed and serve open storage area in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of steel products. (See Remarks.)
Depth Alongside (feet): 18 | | Latitude (decimal): 35.095556
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.10389
Remarks: Steel products up to 110 feet in length are handled at wharf. A 30-acre, open storage area is located at rear. Transit shed also functions as a steel warehouse.
Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 22300 Dock Code: 949 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 27
Name: **W.M. Barr and Co. Memphis Dock.**
Location: Mile 4.9, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
Memphis.
Operator: W.M. Barr and Co., Inc.
Owner: W.M. Barr and Co., Inc.
Address: 2105 Channel Avenue Phone: 901-775-0100
Town: Memphis State: TN County: Shelby
Railway Connection: Three surface tracks at rear connect with Illinois Central Railroad, Union Pacific Railroad, and Burlington Northern Railroad.
Purpose: Receipt of chemical solvents.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.086389
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.11
Remarks: Two 8-, and four 6-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 65,500 barrels.□
Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 22300 Dock Code: 978 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 33
 Name: **Wepfer Marine, Memphis Repair Yard Mooring.**
 Location: Mile 3.5, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LRP
 Memphis.
 Operator: Wepfer Marine, Inc.
 Owner: Cargill, Inc.
 Address: 2661 Channel Avenue Phone: 901-775-0980
 Town: Memphis State: TN County: Shelby
 Railway Connection: None.
 Purpose: Mooring floating drydocks, towboats, and barges for repair, and company-owned floating equipment.
 Depth Alongside (feet): 9 | | Latitude (decimal): 35.079167
 Total Berthing Space (feet): 240 | | Longitude (decimal): -90.12806
 Remarks: Company has access to approximately 1 mile of shoreline on Lake McKellar, and on Mississippi River within Memphis area, for fleetings approximately 400 barges, with nine towboats ranging from 500 to 1,800 horsepower 1,000-ton, floating drydock is moored at yard. Building on barge serves as office and marine repair shop. One 17,000-gallon capacity, slop barge is available. Company fleetings operations are described under Ref. No

Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22300 Dock Code: 991 Memphis District

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 20
 Name: **Western Tar Products Corp., Memphis Dock.**
 Location: Mile 5.8, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
 Memphis.
 Operator: Western Tar Products Corp.
 Owner: Western Tar Products Corp.
 Address: 1471 Channel Avenue Phone: 901-942-3326
 Town: Memphis State: TN County: Shelby
 Railway Connection: Two surface tracks serving tank-car loading rack at rear connect with Illinois Central Railroad.
 Purpose: Receipt and occasional shipment of coal tar.
 Depth Alongside (feet): 9 | | Latitude (decimal): 35.098056
 Total Berthing Space (feet): 200 | | Longitude (decimal): -90.09972
 Remarks: One 8-inch pipeline extends from wharf to 11 steel storage tanks at rear, total capacity 50,000 barrels. One 4-inch, steam line, and one 2-inch, compressed air line serve wharf.

Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22300 Dock Code: 945 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 645 PWD: 139
Name: **McAlister Grain Old Town Terminal Dock.**
Location: Mile 644.5 AHP, right bank, Mississippi River. Datum: LWRP
Operator: McAlister Grain Old Town Terminal, Inc.
Owner: McAlister Grain Old Town Terminal, Inc.
Address: Phone: 800-489-2287
Town: Old Town State: AR County: Phillips
Railway Connection: None.
Purpose: Receipt and shipment of grain, and dry bulk commodities including limestone, crushed stone, and sand.
Depth Alongside (feet): 9 | | Latitude (decimal): 34.366389
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.76722
Remarks: To unload materials, the crane and hopper barges, located at Mississippi Limestone Corp. docks at Friars Point, Mississippi (P.W.D. Ref. Nos. 1 and 2), are equipped with hoppers and truck ramps and towed to this necessary. Facility has 6 acres of open storage area at rear.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22644 Dock Code: 501 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 652 PWD: 138
Name: **Helena-West Helena Phillips County Port Authority, Slack Water Har**
Location: Mile 652.0 AHP, right bank, Mississippi River. Datum: LWRP
Operator: Helena-West Helena Phillips County Port Authority.
Owner: Helena-West Helena Phillips County Port Authority.
Address: Phone: 501-572-2512
Town: Helena State: AR County: Phillips
Railway Connection: Surface tracks on both sides of channel connect with Arkansas Midland Railroad and Union Pacific Railroad.
Purpose: Receipt and shipment of grain, coal, and dry bulk commodities; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 9 | | Latitude (decimal): 34.391944
Total Berthing Space (feet): 11880 | | Longitude (decimal): -90.6375
Remarks: Unloading operations are performed using barges and handling equipment described under Ref. Nos. 1 and 2 directly across river. Facility has 6 acres of open storage area at rear.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22652 Dock Code: 100 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 652 PWD: 2
 Name: **Mississippi Limestone Corp., Friars Point Dry Bulk Wharf.**
 Location: Mile 652.0 AHP, left bank, Mississippi River, Friars Point. Datum: LWRP
 Operator: Mississippi Limestone Corp.
 Owner: Mississippi Limestone Corp.
 Address: Phone: 800-489-2287
 Town: Friars Point State: MS County: Coahoma
 Railway Connection: None.
 Purpose: Receipt and shipment of dry bulk commodities including coal; receipt of grain (soybeans), agricultural limestone, fertilizers including urea; sand, gravel, and limestone.
 Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 34.381389
 Total Berthing Space (feet): 495 | | Longitude (decimal): -90.63
 Remarks: Facility operates as a public bulk terminal and has use of storage building described in Ref. No. 1. Soybeans are trucked to McAlister Grain Company Elevator (Ref. No. 3). Open storage area, with capacity for 6 agricultural limestone and 500,000 tons of other dry bulk commodities is located at rear of rockcrusher and asphalt plant. (See Remarks, Ref. No. 3.) Towboats can moor at rear of face of lower barge. Paved ramp on upduring high-river stages.
 Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22652 Dock Code: 012 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 652 PWD: 1
 Name: **Mississippi Limestone Corp., Friars Point, Fertilizer Dock.**
 Location: Mile 651.9 AHP, left bank, Mississippi River, Friars Point. Datum: LWRP
 Operator: Mississippi Limestone Corp.
 Owner: Mississippi Limestone Corp.
 Address: Phone: 800-489-2287
 Town: Friars Point State: MS County: Coahoma
 Railway Connection: None.
 Purpose: Receipt of dry bulk fertilizers including potash and urea.
 Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 34.380556
 Total Berthing Space (feet): 390 | | Longitude (decimal): -90.63167
 Remarks: Facility operates as a public bulk terminal. A portable 46- by 14-foot, steel ramp approach for trucks is available as required. Towboats can moor at rear of face of lower barge. Timber storage building has cap 10,000 tons of urea and 20,000 tons of potash. Trucks have access to interior, and two of the shipside doors are protected by a canopy for loading trucks in inclement weather.
 Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22648 Dock Code: 012 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 653 PWD: 3
 Name: **McAlister Grain Company, Friars Point Wharf.**
 Location: Mile 652.6 AHP, left bank, Mississippi River, Friars Point. Datum: LWRP
 Operator: McAlister Grain Company.
 Owner: McAlister Grain Company.
 Address: Phone: 800-489-2287
 Town: Friars Point State: MS County: Coahoma
 Railway Connection: None.
 Purpose: Shipment of grain including soybeans, soybean meal, wheat, milo, sorghum, rice, and soybean hulls; mooring barges for fleeting. (See Remarks.)
 Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 34.383333
 Total Berthing Space (feet): 540 | | Longitude (decimal): -90.62528
 Remarks: Grain elevator at rear consisting of 7 steel storage tanks has capacity for 1,285,000 bushels. Upper fleet has capacity for 36 barges in 4 blocks, each 3 barges long, by 3-wide; and lower fleet has capacity for each 3 barges long, by 3-wide. Fleets serve this facility as well as Ref. Nos. 1 and 2.
 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 22652 Dock Code: 602 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 656 PWD: 4
 Name: **Friars Point Terminal Dock.**
 Location: Mile 655.6 AHP, left bank, Mississippi River, Friars Point. Datum: LWRP
 Operator: Jimmy Sanders Seed Co., Inc.
 Owner: Jimmy Sanders Seed Co., Inc.
 Address: Phone:
 Town: Friars Point State: MS County: Coahoma
 Railway Connection: None.
 Purpose: Receipt and shipment of liquid fertilizer.
 Depth Alongside (feet): 20 | | Latitude (decimal): 34.406944
 Total Berthing Space (feet): 195 | | Longitude (decimal): -90.58167
 Remarks: One 6-inch pipeline extends from wharf to twelve steel storage tanks at rear, total capacity 2,940,000 gallons. □
 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 22655 Dock Code: 602 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 659 PWD: 137
 Name: **Arkansas Power and Light Co., Robert E. Ritchie, Steam Electric St**
 Location: Mile 659.4 AHP, right bank, Mississippi River, approximately 2.3 miles below Helena Datum: LWRP
 (U.S. Highway 49) Br
 Operator: Arkansas Power and Light Co.
 Owner: Arkansas Power and Light Co.
 Address: Phone: 501-338-8353
 Town: Helena State: AR County: Phillips
 Railway Connection: One surface track with spurs serving receiving rack at rear; connects with Union Pacific Railroad.
 Purpose: Receipt and occasional shipment of fuel oil.
 Depth Alongside (feet): 40 - 75 | | Latitude (decimal): 34.461944
 Total Berthing Space (feet): 600 | | Longitude (decimal): -90.59167
 Remarks: One anchor with buoy, and 2 shore anchors are located on upper side; 2 additional shore anchors on lower side were not in use at time of survey (1993). Approximately 8 barges can be berthed at facility. One 20- 10-inch pipelines serving both unloading stations, extend to 5 steel storage tanks at power plant in rear, total capacity 1,000,000 barrels. One 6- and one 4-inch, steam lines serve wharf.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22659 Dock Code: 402 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 660 PWD: 136
 Name: **Nitrogen Products, Helena Plant Dock.**
 Location: Mile 660.2 AHP, right bank, Mississippi River, approximately 1.6 miles below Helena Datum: LWRP
 (U.S. Highway 49) Br
 Operator: Nitrogen Products, Inc.
 Owner: Nitrogen Products, Inc.
 Address: Phone: 501-338-9111
 Town: Helena State: AR County: Phillips
 Railway Connection: Surface tracks serving plant at rear; connect with Union Pacific Railroad.
 Purpose: Receipt of ammonia and shipment of liquid fertilizer.
 Depth Alongside (feet): 40 | 40 | Latitude (decimal): 34.476944
 Total Berthing Space (feet): 700 | | Longitude (decimal): -90.59444
 Remarks: Catwalk connects two upper and three lower dolphins. One 10-, two 8-, and four 6-inch pipelines extend from loading platform to 9 steel, liquid fertilizer storage tanks, total capacity 8,190,000 gallons and to 2 storage tanks, total capacity 7,020,000 gallons.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22659 Dock Code: 660 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 661 PWD: 134
 Name: **Quincy Soybean Co. of Arkansas, Helena Lower Dock.**
 Location: Mile 661.3 AHP, right bank, Mississippi River, approximately 2,200 feet below Helena Datum: LWRP
 (U.S. Highway 49) B
 Operator: Quincy Soybean Co. of Arkansas.
 Owner: Quincy Soybean Co. of Arkansas.
 Address: Phone: 501-338-6481
 Town: Helena State: AR County: Phillips
 Railway Connection: Five surface tracks serving plant and elevator at rear connect with Union Pacific Railroad.
 Purpose: Receipt of grain (soybeans); shipment of grain, soybean meal, and soybean oil.
 Depth Alongside (feet): 7 | | Latitude (decimal): 34.491944
 Total Berthing Space (feet): 927 | | Longitude (decimal): -90.59389
 Remarks: Grain elevator at rear consists of 108 concrete silos with 66 interstices and 4 steel storage tanks, total capacity approximately 7,000,000 bushels. One 6-inch pipeline extends to wharf from 6 steel storage tank capacity 2,838,000 gallons of soybean oil. The work barge 'Marine Leg' described under Ref. No. 132 normally is used for unloading soybeans.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22659 Dock Code: 960 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 661 PWD: 135
 Name: **U.S. Army Corps of Engineers, Helena Casting Field Landing.**
 Location: Mile 661.0 AHP, approximately 1.0 mile below Helena (U.S. Highway 49) Bridge, Datum: LWRP
 Helena.
 Operator: U.S. Army Corps of Engineers.
 Owner: U.S. Government.
 Address: Phone:
 Town: Helena State: AR County: Phillips
 Railway Connection: None.
 Purpose: Handling precast concrete, articulated mattress blocks; mooring government-owned floating equipment.
 Depth Alongside (feet): - 9 | | Latitude (decimal): 34.483333
 Total Berthing Space (feet): 1100 | | Longitude (decimal): -90.59556
 Remarks: Bulldozer constructs causeway for truck access to floating equipment moored along bank as required. Additional government-owned floating equipment berths along natural bank above and below. Sections of articulated mattresses are cast in field at rear, loaded into trucks, transported to causeway platform, and loaded by crane onto barges. Facility is operated on an as-required basis. Open storage area at rear has capacity forrevetment slabs stacked 6-high.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22659 Dock Code: 990 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 662 PWD: 132
 Name: **Helena Bridge Terminal Inc., Docks.**
 Location: Mile 661.7 AHP, right bank, Mississippi River, Arkansas, above Helena (U.S. Highway 49) Bridge, Helena. Datum: LWRP
 Operator: Helena Bridge Terminal, Inc.
 Owner: Helena Bridge Terminal, Inc.
 Address: Phone: 501-338-8321
 Town: Helena State: AR County: Phillips
 Railway Connection: None.
 Purpose: Receipt of grain (soybeans), dry bulk fertilizer, and stone; shipment of wood pulp and grain (rice, wheat, milo, cottonseed); mooring company-owned floating equipment. (See Remarks.)
 Depth Alongside (feet): 15 | 15 | Latitude (decimal): 34.498056
 Total Berthing Space (feet): 200 | 200 | Longitude (decimal): -90.59167
 Remarks: Depending upon river stage, portable conveyors serving the lower wharf are added or removed as necessary. Two company-owned work barges are based at terminal: 'Mr. Sam,' a 120- by 30-foot, spud barge equipped w pedestal crane having 100-foot boom, and a portable truck-loading hopper; and 'Marine Leg' consisting of two 120- by 30-foot, spud barges lashed together endwise equipped with a 6 1/2-cubic yard, diesel, crawler backhtruck-loading hopper; a 16,000-bushel, bucket elevator marine leg; and a 10-ton, diesel, pedestal crane with 60-foot boom for handling barge hatch covers. A 500-bushel capacity, portable, truck-loadinuse on either barge. Approximately 40 acres of open storage area are located at rear.

Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22659 Dock Code: 970 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 662 PWD: 133
 Name: **Helena Fuel and Harbor Service Dock.**
 Location: Mile 661.7 AHP, right bank, Mississippi River, Arkansas, 110 feet below Helena Bridge (U.S. Highway 49), Datum: LWRP
 Operator: Helena Fuel and Harbor Service, Inc.
 Owner: Helena Fuel and Harbor Service, Inc.
 Address: Phone: 501-338-8321
 Town: Helena 123 State: AR County: Phillips
 Railway Connection: None.
 Purpose: Receipt of liquid fertilizer and shipment of grain (wheat, rice, and cottonseed); mooring barges for fleeting; mooring company-owned floating equipment for maintenance and repair. (See Remarks.)
 Depth Alongside (feet): | | Latitude (decimal): 34.495556
 Total Berthing Space (feet): 200 | | Longitude (decimal): -90.5925
 Remarks: One 6-inch pipeline extends from pier to 2 liquid, fertilizer storage tanks at rear, total capacity 1,000,000 gallons. Six permanently-moored barges on lower side provide fleeting area for 24 barges. An addition located along natural bank between Mile 658 AHP and Mile 662 AHP, having a total capacity of 175 barges at 40 shore wires arranged in blocks 4- to 5-long by 3 to 4 barges wide.

Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22659 Dock Code: 970 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 662 PWD: 130
 Name: **Texas Eastern Products Pipeline Co., Helena Pier No. 1.**
 Location: Mile 662.4 AHP, right bank, Mississippi River, approximately 3,200 feet above Helena (U.S. Highway 49) B Datum: LWRP
 Operator: Texas Eastern Products Pipeline Co., Inc.
 Owner: Texas Eastern Products Pipeline Co., Inc.
 Address: Phone: 501-338-3428
 Town: Helena State: AR County: Phillips
 Railway Connection: Surface track with 2 spurs serving tankcar-loading rack at rear, connects with Union Pacific Railroad.
 Purpose: Shipment and occasional receipt of petroleum products.
 Depth Alongside (feet): 30 | | Latitude (decimal): 34.506389
 Total Berthing Space (feet): 500 | | Longitude (decimal): -90.58389
 Remarks: Breasting dolphins serving this wharf are in line with those serving Pier No. 2 (Ref. No. 131) on lower side, providing 980 feet of continuous berthing space. Three 8- and one 6-inch pipelines extend from wharf at rear, total capacity 985,000 barrels.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22659 Dock Code: 940 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 662 PWD: 131
 Name: **Texas Eastern Products Pipeline Co., Helena Pier No. 2.**
 Location: Mile 662.4 AHP, right bank, Mississippi River, Arkansas, approxi-mately 3,500 feet above Helena (U.S. Hi Datum: LWRP
 Operator: Texas Eastern Products Pipeline Co., Inc.
 Owner: Texas Eastern Products Pipeline Co., Inc.
 Address: Phone: 501-338-3428
 Town: Helena State: AR County: Phillips
 Railway Connection: Surface track with 2 spurs serving tankcar-loading rack at rear, connects with Union Pacific Railroad.
 Purpose: Shipment and occasional receipt of petroleum products.
 Depth Alongside (feet): 9 - 15 | | Latitude (decimal): 34.504167
 Total Berthing Space (feet): 480 | | Longitude (decimal): -90.58806
 Remarks: Breasting dolphins serving this wharf are in line with those serving Pier No. 1(Ref. No. 130) on upper side, providing 980 feet of continuous berthing space. Three 8- and one 6-inch pipelines extend from wharf t described under Ref. No. 130.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22659 Dock Code: 940 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 663 PWD: 127
Name: **Helena Port Terminal, Dock No. 1.**
Location: Mile 663.1 AHP, right bank, Helena Harbor, approximately 1,200 feet above entrance Datum: LWRP
from Mississippi Rive
Operator: PBW - Helena Division.
Owner: PBW - Helena Division.
Address: Phone: 501-338-6781
Town: Helena State: AR County: Phillips
Railway Connection: None.
Purpose: Receipt and shipment of general cargo in foreign and domestic trade, including lumber, soybean oil,
and dry bulk commodities including grain & fertilizer; shipment of liquid fertilizer and bagged
products.pr
Depth Alongside (feet): 10 | | Latitude (decimal): 34.520556
Total Berthing Space (feet): 358 | | Longitude (decimal): -90.58417
Remarks: Breasting dolphins are generally in line with those on upper side serving Dock No. 2 (Ref. No. 126),
providing approximately 658 feet of continuous berthing space. One 3-inch pipeline extends to wharf
from tank rear.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22659 Dock Code: 311 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 663 PWD: 126
Name: **Helena Port Terminal, Dock No. 2.**
Location: Mile 663.1 AHP, right bank, Helena Harbor, approximately 1,700 feet above entrance Datum: LWRP
from Mississippi Rive
Operator: PBW - Helena Division.
Owner: PBW - Helena Division.
Address: Phone: 501-338-6781
Town: Helena State: AR County: Phillips
Railway Connection: One carfloor-level track along rear of seawall serves transit sheds and undertrack pit, and
two surface tracks serve facility at Yazoo and Arkansas Streets; connect with Union Pacific
Railroad.
Purpose: Shipment of dry bulk commodities and grain.
Depth Alongside (feet): | | Latitude (decimal): 34.521111
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.58417
Remarks: Steel catwalk extends to loading tower from bank at rear. Breasting dolphins are generally in line with
face of Dock No. 1 (Ref. No. 127), and with their respective dolphins, provides approximately 658 feet
of c space. Transit sheds are on river side of concrete seawall; floor level is at railcar-floor height; and
openings in seawall are opposite each transit shed door. Terminal has additional storage facilities in
buildingintersection of Yazoo and Arkansas Streets at rear, consisting of 6 concrete buildings; total
floor area approximately 72,500 square feet. Terminal has 5 acres of open storage area. Fleeting
area athave capacity for 8 barges, arranged 4 long by 2-wide.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22659 Dock Code: 311 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 663 PWD: 128
 Name: **Helena Port Terminal, Dock No. 3.**
 Location: Mile 663.1 AHP, right bank, Helena Harbor, approximately 900 feet above entrance Datum: LWRP
 from Mississippi River,
 Operator: PBW - Helena Division.
 Owner: PBW - Helena Division.
 Address: Phone: 501-338-6781
 Town: Helena State: AR County: Phillips
 Railway Connection: None.
 Purpose: Receipt of dry bulk commodities, including grain and fertilizer.
 Depth Alongside (feet): 10 | | Latitude (decimal): 34.518889
 Total Berthing Space (feet): 200 | | Longitude (decimal): -90.58417
 Remarks: -□□

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22659 Dock Code: 313 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 663 PWD: 129
 Name: **Quincy Soybean Company of Arkansas, Upper Helena Dock.**
 Location: Mile 663.0, right bank, Mississippi River, Helena, at entrance to Helena Harbor. Datum: LWRP
 Operator: Quincy Soybean Co. of Arkansas.
 Owner: Quincy Soybean Co. of Arkansas.
 Address: Phone: 501-338-6481
 Town: Helena State: AR County: Phillips
 Railway Connection: One surface track serving undertrack pit at elevator connects with Union Pacific Railroad.
 Purpose: Shipment of grain, soybean meal, and soybean oil.
 Depth Alongside (feet): 12 | | Latitude (decimal): 34.516944
 Total Berthing Space (feet): 240 | | Longitude (decimal): -90.58389
 Remarks: Grain elevator at rear consisting of 8 concrete silos with 16 interstices, and 1 steel storage tank has total capacity for 720,000 bushels. One 6-inch pipeline extends to wharf from 2 soybean oil, storage tanks capacity 1,161,000 gallons.

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22659 Dock Code: 960 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 726 PWD: 8
 Name: **Fleischmann's Yeast Memphis Molasses Dock.**
 Location: Left bank, Riverport Harbor Channel, 0.7 mile above mile 5.3, McKellar Lake; mile 725.5 AHP, left bank, Datum: LWRP
 Operator: Fleischmann's Yeast, Inc.
 Owner: Fleischmann's Yeast, Inc.
 Address: 2743 Riverport Road Phone: 901-942-7115
 Town: Memphis State: TN County: Shelby
 Railway Connection: Surface tracks serve plant at rear, connect with Illinois Central Railroad.
 Purpose: Receipt of molasses.
 Depth Alongside (feet): 9 | | Latitude (decimal): 35.075
 Total Berthing Space (feet): 200 | | Longitude (decimal): -90.09
 Remarks: One 12-inch, electrically-traced pipeline extends from wharf to 4 steel, molasses storage tanks at rear, total capacity 2,000,000 gallons. One 2-inch steam line serves wharf. Wharf has 5 levels to accommodate v stages.
 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 22300 Dock Code: 845 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 726 PWD: 18
 Name: **Helm Fertilizer Terminal, Memphis Dry Fertilizer Dock.**
 Location: Mile 6.0, right bank, Industrial Channel; mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
 Operator: Helm Fertilizer Terminal, Inc.
 Owner: Helm Fertilizer Terminal, Inc.
 Address: 1421 Channel Avenue Phone: 901-948-3303
 Town: Memphis State: TN County: Shelby
 Railway Connection: Three surface tracks at rear connect with tracks of Illinois Central Railroad, Union Pacific Railroad, and Burlington Northern Railroad.
 Purpose: Receipt of dry fertilizer including potash.
 Depth Alongside (feet): 11 | | Latitude (decimal): 35.098889
 Total Berthing Space (feet): 280 | | Longitude (decimal): -90.09833
 Remarks: Facility operates as a public, liquid- and dry-bulk terminal. (See Remarks, Ref. No. 19.) Face of wharf and dolphins are in line with face of adjacent wharf (Ref. No. 19), providing 280 feet of berthing space. timber-frame storage building with concrete walls and floor at rear is used for storing dry fertilizers.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22300 Dock Code: 940 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 726 PWD: 5
 Name: **McKellar Lake Dredge Mooring.**
 Location: Mile 3.0, left bank, McKellar Lake Power Plant Slip; mile 725.5 AHP, left bank, Mississippi River, Memph Datum: LWRP
 Operator: Memphis and Shelby County Port Commission.
 Owner: Memphis and Shelby County Port Commission.
 Address: Phone: 901-948-4422
 Town: Memphis State: TN County: Shelby
 Railway Connection: None.
 Purpose: Mooring contractors' floating equipment.
 Depth Alongside (feet): - 12 | | Latitude (decimal): 35.076111
 Total Berthing Space (feet): 2500 | | Longitude (decimal): -90.15556
 Remarks: -□□

Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22300 Dock Code: 825 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 726 PWD: 38
 Name: **Memphis Marine Service, Tennessee Chute Fleet Mooring.**
 Location: Mile 1.8, right bank, Tennessee Chute; mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
 Operator: Memphis Marine Service, Inc.
 Owner: Memphis Marine Service, Inc.
 Address: Phone: 901-775-0725
 Town: Memphis State: TN County: Shelby
 Railway Connection: None.
 Purpose: Mooring barges for fleetling.
 Depth Alongside (feet): 9 | | Latitude (decimal): 35.086389
 Total Berthing Space (feet): 1500 | | Longitude (decimal): -90.15528
 Remarks: Fleetling area has capacity for 100 barges arranged end-to bank and doubled.□□

Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22733 Dock Code: 996 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 726 PWD: 36
 Name: **Wepfer Marine, McKellar Lake Fleet Mooring.**
 Location: Miles 2.6 and 2.3, right bank, mile 2.4, left bank, Tennessee Chute; mile 725.5 AHP, Datum: LWRP
 left bank, Mississi
 Operator: Wepfer Marine, Inc.
 Owner: Chemtec Industries, Inc.; Chicago Bridge and Iron Co., Inc.; and Tennessee Valley Authority.
 Address: 2701 Channel Avenue Phone: 901-775-0980
 Town: Memphis State: TN County: Shelby
 Railway Connection: None.
 Purpose: Mooring barges for fleetings.
 Depth Alongside (feet): 9 | 9 | 9 Latitude (decimal): 35.083333
 Total Berthing Space (feet): 900 | 1700 | 2640 Longitude (decimal): -90.14139
 Remarks: Company operates nine towboats ranging from 500 to 1,800 horsepower. All barges are moored end-
 to natural bank and doubled when water stage permits. Chemtec Fleet has capacity for 50 barges, CB
 & I Fleet has ca barges, and Sand Bar Fleet has capacity for 146 barges when doubled.
 Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22300 Dock Code: 991 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 728 PWD: 125
 Name: **Riceland Foods, West Memphis Grain Terminal Dock.**
 Location: Mile 727.5 AHP, right bank, Mississippi River, West Memphis. Datum: LWRP
 Operator: Riceland Foods, Inc.
 Owner: Riceland Foods, Inc.
 Address: 4500 S. Avalon Street Phone: 501-735-6574
 Town: West Memphis State: AR County: Crittenden
 Railway Connection: None.
 Purpose: Shipment of grain and rice.
 Depth Alongside (feet): 24 | | Latitude (decimal): 35.103056
 Total Berthing Space (feet): 528 | | Longitude (decimal): -90.18028
 Remarks: Grain elevator at rear has 5 metal, storage bins; total capacity 628,000 bushels.□
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22727 Dock Code: 609

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 728 PWD: 124
Name: **West Memphis Port Terminal Dock.**
Location: Mile 727.7 AHP, right bank, Mississippi River, West Memphis. Datum: LWRP
Operator: PBW - West Memphis Division.
Owner: West Memphis - Crittenden County Port Authority.
Address: Phone: 501-732-3277
Town: West Memphis State: AR County: Crittenden
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials, steel products, and general cargo; shipment of grain.
Depth Alongside (feet): 22 | | Latitude (decimal): 35.114444
Total Berthing Space (feet): 314 | | Longitude (decimal): -90.18083
Remarks: Row of four steel sheet pile cells extend on an angle from outer breasting cell on upper side to bank at rear. Terminal includes 15,000 square feet of paved, and 60,000 square feet of unpaved open storage area.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22727 Dock Code: 809

Port: **Memphis**
Waterway: **Mississippi River** Mile: 729 PWD: 122
Name: **Coastal Unilube, Inc., West Memphis Dock.**
Location: Mile 729.1 AHP, right bank, Mississippi River, West Memphis. Datum: LWRP
Operator: Coastal Unilube, Inc.
Owner: Coastal Unilube, Inc., a subsidiary of the Coastal Corp.
Address: 1700 S. 8th Street Phone: 501-735-4741
Town: West Memphis State: AR County: Crittenden
Railway Connection: Two surface tracks with a total of 20 loading stations connect with Burlington Northern Railroad.
Purpose: Receipt and shipment of petroleum products; receipt of ethylene glycol.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.116944
Total Berthing Space (feet): 340 | | Longitude (decimal): -90.17667
Remarks: One 12-, one 10-, and one 6-inch pipelines extend from wharf to 12 steel storage tanks, total capacity 280,000 barrels. One 8-inch pipeline for lubricating oil extends to 6 steel storage tanks, total cap barrels, and 91 additional small tanks with total capacity of 31,600 barrels. One 6-inch, ethylene glycol pipeline extends from wharf to 6 steel storage tanks, total capacity 16,254,000 gallons.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22729 Dock Code: 810

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 729 PWD: 123
Name: **Truman Arnold Co., West Memphis Dock.**
Location: Mile 728.7 AHP, right bank, Mississippi River, West Memphis. Datum: LWRP
Operator: Truman Arnold Co.
Owner: Truman Arnold Co., a division of Truman Arnold Companies.
Address: Phone: 501-735-1610
Town: West Memphis State: AR County: Crittenden
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products and ethanol.
Depth Alongside (feet): 17 | | Latitude (decimal): 35.121389
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.17278
Remarks: Four 12- and one 6-inch pipelines extend from wharf to 11 steel, petroleum products storage tanks, total capacity 950,000 barrels, and 2 steel, ethanol storage tanks, total capacity 3,780,000 gallons.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22728 Dock Code: 731

Port: **Memphis**
Waterway: **Mississippi River** Mile: 730 PWD: 121
Name: **APAC Tennessee, West Memphis Dock.**
Location: Mile 730.0 AHP, right bank, Mississippi River, West Memphis. Datum: LWRP
Operator: APAC Tennessee, Inc.
Owner: APAC Tennessee, Inc.
Address: Phone: 501-735-2880
Town: West Memphis State: AR County: Crittenden
Railway Connection: None.
Purpose: Occasional receipt of crushed stone and sand.
Depth Alongside (feet): 8 | | Latitude (decimal): 35.135556
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.15194
Remarks: Approximately 6 acres of open storage area and ready-mix plant are located in rear. □
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22730 Dock Code: 811

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 733 PWD: 39
 Name: **Davis Construction Co. Mooring.**
 Location: Mile 733.2 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
 Operator: Davis Construction Co., Inc.
 Owner: Memphis and Shelby County Port Commission; and Davis Construction Company, Inc.
 Address: 1314 Harbor Avenue Phone: 901-948-1696
 Town: Memphis State: TN County: Shelby
 Railway Connection: None.
 Purpose: Mooring contractor's floating equipment; handling equipment and supplies.
 Depth Alongside (feet): 20 | 20 | Latitude (decimal): 35.115833
 Total Berthing Space (feet): 2000 | | Longitude (decimal): -90.10389
 Remarks: -□□

Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22733 Dock Code: 200 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 734 PWD: 45
 Name: **American Commercial Liquid Terminal, Memphis Dock.**
 Location: Mile 734.4 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
 Operator: American Commercial Liquid Terminal, Inc.
 Owner: American Commercial Liquid Terminal, Inc., a unit of CSX Corporation.
 Address: 427 W. Illinois Avenue Phone: 901-774-5460
 Town: Memphis State: TN County: Shelby
 Railway Connection: One surface track serving 13 loading stations in rear connects with Burlington Northern Railroad.
 Purpose: Receipt and shipment of bulk-liquid products including vegetable oils, chemicals, and petroleum products; fueling towboats and river excursion boats. (See Remarks.)
 Depth Alongside (feet): 9 | | Latitude (decimal): 35.128611
 Total Berthing Space (feet): 320 | | Longitude (decimal): -90.07722
 Remarks: Five 6-inch pipelines extend from wharf to 22 steel storage tanks, total capacity 117,000 barrels for miscellaneous liquids, and to numerous lubricating oil tanks, total capacity 10,000 barrels. Facility at rear plant for production of bunker fuel, and serves as a public storage warehouse for bulk liquid products. Operations also include direct transfer of products between barges and trucks.

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22734 Dock Code: 732

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 734 PWD: 42
 Name: **Dravo Basic Materials, Memphis Dock.**
 Location: Mile 733.9 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
 Operator: Dravo Basic Materials, Inc.
 Owner: Waxler Towing Company, Inc.
 Address: 534 Jack Carley Causeway Phone: 901-946-3342
 Town: Memphis State: TN County: Shelby
 Railway Connection: None.
 Purpose: Receipt of stone.
 Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 35.118333
 Total Berthing Space (feet): 400 | | Longitude (decimal): -90.08222
 Remarks: Open storage area at rear has capacity for approximately 400,000 tons of stone. □ □
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22733 Dock Code: 297 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 734 PWD: 44
 Name: **Exxon Company, U.S.A., Memphis Terminal Dock.**
 Location: Mile 734.2 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
 Operator: Exxon Company, U.S.A.
 Owner: Exxon Company, U.S.A.
 Address: 454 Wisconsin Avenue Phone: 901-942-1604
 Town: Memphis State: TN County: Shelby
 Railway Connection: One surface track passes through terminal in rear; connects with Burlington Northern Railroad.
 Purpose: Receipt of petroleum products.
 Depth Alongside (feet): 40 | | Latitude (decimal): 35.121667
 Total Berthing Space (feet): 820 | | Longitude (decimal): -90.07917
 Remarks: Thirteen 10- and three 8-inch pipelines extend from wharf to 13 steel storage tanks in rear, total capacity 400,000 barrels. Small boat launching ramp; two oil skimmers, 2,500 feet of floating, 18-inch, spill-co 4,000 feet of absorbant boom are available at wharf.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22734 Dock Code: 300

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 734 PWD: 43
Name: **Lion Oil Co., Memphis Terminal Dock.**
Location: Mile 734.1 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Lion Oil Co.
Owner: Lion Oil Co.
Address: 1023 Riverside Drive Phone: 901-946-0303
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Receipt of gasoline and diesel fuel.
Depth Alongside (feet): 50 | | Latitude (decimal): 35.119722
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.08139
Remarks: Two 10-, and one 8- to 10-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear;
total capacity 125,000 barrels.□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22734 Dock Code: 299

Port: **Memphis**
Waterway: **Mississippi River** Mile: 734 PWD: 40
Name: **Vulcan Materials Company, Memphis Dock.**
Location: Mile 733.6 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Vulcan Materials Company.
Owner: Vulcan Materials Company.
Address: 1074 Harbor Avenue Phone: 901-774-2390
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Receipt of coal, sand, and stone.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 35.114722
Total Berthing Space (feet): 315 | 315 | Longitude (decimal): -90.09417
Remarks: Open storage area at rear has capacity for approximately 300,000 tons of sand and stone, and 15,000
tons of coal. Loaded fleet above upper wharf, and empty fleet below lower wharf each have capacity
for 16 barge wide at shore moorings. An additional fleeting area extends approximately 3,000 feet at
shore moorings on opposite side of river, between mile 734 AHP and Interstate Highway 55 bridge.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22733 Dock Code: 211 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 734 PWD: 41
Name: **Waterways Marine of Memphis Dock.**
Location: Mile 733.8 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Waterways Marine of Memphis, Inc.
Owner: Waterways Marine of Memphis, Inc.
Address: 486 Jack Carley Causeway Phone: 901-525-4761
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring mid-stream fueling barges and delivery boats; fueling towboats; handling marine supplies; repairing company-owned floating equipment, and landing for passengers.
Depth Alongside (feet): 30 | | Latitude (decimal): 35.116667
Total Berthing Space (feet): 795 | | Longitude (decimal): -90.08528
Remarks: Three mid-stream fueling barges: one fuel storage barge, 2 towboats; and 2 delivery boats are based at wharf. □

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22733 Dock Code: 225 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 735 PWD: 46
Name: **Economy Boat Store, Memphis Dock.**
Location: Mile 734.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Economy Boat Store.
Owner: Economy Boat Store.
Address: 398 W. Illinois Avenue Phone: 901-775-3131
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring mid-stream fueling barges; fueling towboats; and handling marine supplies.
Depth Alongside (feet): 20 | 15 - 20 | Latitude (decimal): 35.124722
Total Berthing Space (feet): 405 | 600 | Longitude (decimal): -90.07611
Remarks: Four mid-stream fueling barges are based at wharf. □ □

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22734 Dock Code: 305

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
Waterway: **Mississippi River** Mile: 739 PWD: 56
Name: **CONOCO, Inc., Lucy-Woodstock Memphis Chemical Terminal Dock.**
Location: Left bank, Mississippi River, mile 739.0 AHP, above mouth of Wolf River (New Channel). Datum: LWRP
Operator: CONOCO, Inc.
Owner: CONOCO, Inc.
Address: 2455 North Second Street Phone: 901-358-4182
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Receipt of chemicals including ammonia, acetone, methylmethacrylate (MMA), and methanol.
Depth Alongside (feet): 15 | | Latitude (decimal): 35.190556
Total Berthing Space (feet): 450 | | Longitude (decimal): -90.05889
Remarks: Two 8- and two 6-inch pipelines extend from wharf to storage tanks at terminal in rear. □ P/L
Commodity Tanks Capacity 8' Ammonia 1 1,500,000 gal. □ None* 1 4,500
tons □ 8' MMA 2** 117,000 bbls. 6' Acetone 1 1,000,000 gal. □ 6' Methanol
1 750,000 gal. □ *Formerly used for handling propylene. **Only one 58,500-barrel tank is used.
Year of Last Survey: 1992 Corps of Eng'rs Waterway Code: 22739 Dock Code: 102 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 741 PWD: 57
Name: **Fullen Dock and Warehouse Co., Wharves.**
Location: Mile 740.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Fullen Dock and Warehouse Co., Inc.
Owner: Fullen Dock and Warehouse Co., Inc.
Address: 150 Klinke Road Phone: 901-358-9544
Town: Memphis State: TN County: Shelby
Railway Connection: See Remarks.
Purpose: Receipt of dry bulk commodities including coal, salt, stone, potash, urea, ammonium sulfate, ores, pig iron, and steel products; shipment of iron ore, scrap metal, and grain; mooring barges for fleeting.
Depth Alongside (feet): 20 | 20 | 15 Latitude (decimal): 35.211389
Total Berthing Space (feet): 290 | 200 | 200 Longitude (decimal): -90.06111
Remarks: One 18,000-square foot, steel frame, clear span, metal-covered, steel warehouse equipped with 20-ton bridge crane, and open storage area for approximately 500,000 tons of bulk material are located in rear. Fleet shore moorings below wharf has capacity for approximately 30 barges. Wharves are moored on the left bank of the Loosahatchie River. Front-end loaders are used to unload stone from deck barges into trucks on upper river survey, plans called for relocation northward of the lower 4,000 feet of the Loosahatchie River to form a slack water harbor in the existing river channel; add railroad tracks to serve terminal; and Center and lower wharves can be moved to the adjacent Mississippi River, depending upon river stage.
Year of Last Survey: 1993 Corps of Eng'rs Waterway Code: 22740 Dock Code: 502 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 769 PWD: 58
 Name: **Continental Grain Co., Richardsons Landing Dock.**
 Location: Mile 768.7 AHP, left bank, Mississippi River. Datum: LWRP
 Operator: Continental Grain Co.
 Owner: Tipco Grain Co.
 Address: Phone: 901-836-2187
 Town: Richardson Lndg State: TN County: Tipton
 Railway Connection: None.
 Purpose: Shipment of grain, soybeans, milo, and corn.
 Depth Alongside (feet): 12 | | Latitude (decimal): 35.515833
 Total Berthing Space (feet): 225 | | Longitude (decimal): -89.94722
 Remarks: One 15,000-bushel, steel, grain storage tank is located at rear. Facility is operated seasonally; grain normally is received by truck for direct shipment by barge.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22769 Dock Code: 501 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 769 PWD: 59
 Name: **U.S. Army Corps of Engineers, Richardson Casting Field Landing.**
 Location: Mile 768.8 AHP, left bank, Mississippi River, Richardson Land. Datum: LWRP
 Operator: U.S. Army Corps of Engineers.
 Owner: U.S. Government.
 Address: Phone:
 Town: Richardson Lndg State: TN County: Tipton
 Railway Connection: None.
 Purpose: Handling precast concrete, articulated mattress blocks; mooring government-owned floating equipment.
 Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 35.515833
 Total Berthing Space (feet): 1000 | | Longitude (decimal): -89.94028
 Remarks: Bulldozer constructs causeways for truck access to floating equipment moored along bank as required. Additional government-owned floating equipment berths along natural bank above and below. Sections of concret mattresses are cast in field at rear, loaded onto trucks, transported to bank, and loaded by crane onto barges. Facility is operated on an as-required basis. Open storage area at rear has capacity for 105,000 concretstacked 6-high.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22768 Dock Code: 802 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 783 PWD: 120
 Name: **Bunge Corp., Osceola Grain Elevator Dock.**
 Location: Mile 783.0 AHP, right bank, Mississippi River, Osceola. Datum: LWRP
 Operator: Bunge Corp.
 Owner: Bunge Corp.
 Address: Phone: 501-563-2633
 Town: Osceola State: AR County: Mississippi
 Railway Connection: None.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 35.656667
 Total Berthing Space (feet): 650 | | Longitude (decimal): -89.9275
 Remarks: Grain elevator at rear, with 38 concrete silos, 22 interstices, and 3 steel tanks, has capacity for 2,800,000 bushels. Grain is received by truck for storage or direct shipment by barge.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22783 Dock Code: 501 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 784 PWD: 119
 Name: **Cargill, Inc., Osceola Dock.**
 Location: Mile 783.5 AHP, right bank, Mississippi River, Osceola. Datum: LWRP
 Operator: Cargill, Inc.
 Owner: Cargill, Inc.
 Address: Phone: 501-563-5263
 Town: Osceola State: AR County: Mississippi
 Railway Connection: Three surface tracks with capacity for 30 cars serve grain elevator in rear; connects with Burlington Northern Railroad.
 Purpose: Shipment of grain (wheat, milo, and soybeans).
 Depth Alongside (feet): 22 | | Latitude (decimal): 35.660833
 Total Berthing Space (feet): 540 | | Longitude (decimal): -89.93333
 Remarks: Elevator consisting of 11 steel tanks has capacity for 5,000,000 bushels; flat storage building has capacity for 5,000 tons of cotton seed, received by truck and shipped by rail.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22783 Dock Code: 001 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 786 PWD: 118
 Name: **PBW-Osceola Terminal South Dock.**
 Location: Mile 785.5 AHP, right bank, Mississippi River, Osceola. Datum: LWRP
 Operator: PBW-Osceola Division.
 Owner: PBW-Osceola Division.
 Address: Phone: 501-782-0323
 Town: Osceola State: AR County: Mississippi
 Railway Connection: None.
 Purpose: Shipment of grain; mooring barges for fleeting. (See Remarks.)
 Depth Alongside (feet): 20 | | Latitude (decimal): 35.686944
 Total Berthing Space (feet): 600 | | Longitude (decimal): -89.95417
 Remarks: Two steel storage silos at rear have total capacity for 50,000 bushels. Breasting dolphins are in line with those of Ref. No. 117 providing 600 feet of continuous berthing space. Wepfer Marine, Inc. maintains a fleeting area for 50 barges at shore moorings below wharf.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22783 Dock Code: 501 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 786 PWD: 117
 Name: **PBW-Osceola Terminal, North Dock.**
 Location: Mile 785.6 AHP, right bank, Mississippi River, Osceola. Datum: LWRP
 Operator: PBW, Osceola Division.
 Owner: PBW, Osceola Division.
 Address: Phone: 501-782-0323
 Town: Osceola State: AR County: Mississippi
 Railway Connection: None.
 Purpose: Receipt and shipment of miscellaneous bulk commodities, steel products, and general cargo; shipment of grain; mooring barges for fleeting. (See Remarks.)
 Depth Alongside (feet): 20 | | Latitude (decimal): 35.687778
 Total Berthing Space (feet): 600 | | Longitude (decimal): -89.95472
 Remarks: Ancillary facilities at the terminal in rear include a 30,000-square foot, steel-frame, metal-covered-, and a 40,000-square foot, concrete storage warehouse; 2 steel tanks, total capacity 50,000 bushels; eight ac storage area for general cargo. In addition, a 30,000-square foot warehouse with rail access is available approximately one mile northwest in the city of Osceola. Breasting dolphins are in line with those of Ref. No. 600 feet of continuous berthing space. Caruthersville Marine Service, d.b.a. Osceola Marine Service, and Wepfer Marine, Inc. maintain a fleeting area at shore moorings above wharf with capacity for 50 barges moored end-to shore, and at Mile 783.0 on the left bank with a capacity for 50 barges.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22785 Dock Code: 501 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
Waterway: **Mississippi River** Mile: 793 PWD: 60
Name: **Continental Grain Co., Goldust Elevator Dock.**
Location: Mile 792.5 AHP, left bank, Mississippi River, Golddust. Datum: LWRP
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: Route #4 Ripley, Tennessee Phone: 901-635-1710
Town: Golddust State: TN County: Lauderdale
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 35.736667
Total Berthing Space (feet): 260 | | Longitude (decimal): -89.84889
Remarks: Grain elevator at rear, with 4 concrete silos and one interstice, has capacity for 127,000 bushels. Grain is received by truck for shipment by barge. Fleeting area located at shore moorings below and above whar for 12 loaded and 12 empty barges, respectively.

Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22792 Dock Code: 502 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 810 PWD: 115
Name: **Barfield Harbor Service Dock and Fleet Mooring.**
Location: Mile 809.9 AHP, right bank, Mississippi River, Barfield. Datum: LWRP
Operator: Barfield Harbor Service, Inc.
Owner: Barfield Harbor Service, Inc.
Address: East end of Highway 18 Phone: 501-763-5923
Town: Amorel State: AR County: Mississippi
Railway Connection: None.
Purpose: Receipt and shipment of general cargo, steel products, scrap metal, and dry bulk commodities including fertilizer and aggregates; mooring barges for fleeting and mooring company-owned floating equipment.
Depth Alongside (feet): 8 - 10 | 8 - 10 | 8 - 10 Latitude (decimal): 35.893611
Total Berthing Space (feet): 250 | 200 | 52 Longitude (decimal): -89.76944
Remarks: *Fleeting area has capacity for 52 barges on 3 wires at each fleet: Fleet No. 1 arranged in 4 tiers, each 4-wide, Fleets Nos. 2 thru 5 are arranged in 3 tiers, each 3-wide. A 10-acre, open storage area is locate

Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22809 Dock Code: 901 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
Waterway: **Mississippi River** Mile: 810 PWD: 114
Name: **Blytheville River Rail Terminal Co. Dock.**
Location: Mile 810.3 AHP, right bank, Mississippi River, Barfield. Datum: LWRP
Operator: Blytheville River Rail Terminal Co.
Owner: Blytheville River Rail Terminal Co.
Address: Phone: 501-763-6469
Town: Barfield State: AR County: Mississippi
Railway Connection: None.
Purpose: Receipt of aviation fuel and fuel oil.
Depth Alongside (feet): 15 | | Latitude (decimal): 35.898611
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.76278
Remarks: One 6-inch pipeline extends from wharf to 2 steel storage tanks at terminal in rear, total capacity 110,000 barrels.□

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22810 Dock Code: 401 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 810 PWD: 116
Name: **Nucor-Yamato Steel Corp., Blytheville Dock.**
Location: Mile 809.5 AHP, right bank, Mississippi River, Barfield. Datum: LWRP
Operator: Nucor-Yamato Steel Corp.
Owner: Nucor-Yamato Steel Corp.
Address: Phone: 501-762-5500
Town: Barfield State: AR County: Mississippi
Railway Connection: Two surface tracks extend to face of wharf, join 3 surface tracks serving steel plant at rear; connect with Burlington Northern Railroad.
Purpose: Receipt of scrap metal; shipment of finished and semi-finished steel products including steel blooms and beam blanks; occasional receipt and shipment of plant machinery.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 35.883889
Total Berthing Space (feet): 622 | | Longitude (decimal): -89.77389
Remarks: Open storage area at plant in rear has capacity for 100,000 tons of scrap metal.□

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22809 Dock Code: 201 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
Waterway: **Mississippi River** Mile: 811 PWD: 112
Name: **Agricultural Minerals Corp., Blytheville Plant Dock.**
Location: Mile 810.8 AHP, right bank, Mississippi River, Blytheville. Datum: LWRP
Operator: Agricultural Minerals Corp.
Owner: Agricultural Minerals Corp.
Address: Phone: 501-763-0800
Town: Blytheville State: AR County: Mississippi
Railway Connection: One surface track serving plant in rear connects with Burlington Northern Railroad.
Purpose: Receipt of liquid fertilizer; shipment of anhydrous ammonia and urea.
Depth Alongside (feet): 30 | | Latitude (decimal): 35.903056
Total Berthing Space (feet): 1080 | | Longitude (decimal): -89.75583
Remarks: Stairway extends from deck to two lower working levels. Storage building at rear has capacity for 30,000-tons of urea. One 10-inch pipeline extends to wharf from 2 steel, anhydrous, ammonia storage tanks, total gallons; one 6-inch pipeline extends from wharf to 2 steel, liquid fertilizer storage tanks, total capacity 1,146,600 gallons.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22810 Dock Code: 011 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 811 PWD: 113
Name: **Farmers Soybean Corp., Barfield Terminal Dock.**
Location: Mile 810.5 AHP, right bank, Mississippi River, Barfield. Datum: LWRP
Operator: Farmers Soybean Corp.
Owner: Farmers Soybean Corp.
Address: Phone: 501-763-7005
Town: Barfield State: AR County: Mississippi
Railway Connection: None.
Purpose: Shipment of grain; receipt and shipment of liquid fertilizer.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 35.900833
Total Berthing Space (feet): 290 | | Longitude (decimal): -89.75972
Remarks: Grain elevator at rear with 12 concrete silos and 18 interstices has capacity for 320,000 bushels. Grain is received by truck for shipment by barge. One 8-inch pipeline extends to wharf from 2 steel, liquid fer at rear, total capacity 2,000,000 gallons.
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22810 Dock Code: 901 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
Waterway: **Mississippi River** Mile: 818 PWD: 61
Name: **Continental Grain Co., Hales Point Elevator Dock.**
Location: Mile 818.3 AHP, left bank, Mississippi River, Hales Point. Datum: LWRP
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: Star Route, Halls, Tennessee Phone: 901-836-7571
Town: Hales Point State: TN County: Lauderdale
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 35.893611
Total Berthing Space (feet): 250 | | Longitude (decimal): -89.64056
Remarks: Grain elevator at rear, with 4 concrete silos and one interstice, has capacity for 127,000 bushels. Grain is received by truck for shipment by barge. Fleeting area located at shore mooring below and above wharf for 12 loaded and 12 empty barges, respectively.

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22818 Dock Code: 502 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 819 PWD: 62
Name: **Steele's Tug Service Dock and Fleet Mooring.**
Location: Mile 818.5 AHP, left bank, Mississippi River, Halls. Datum: LWRP
Operator: Steele's Tug Service.
Owner: Steele's Tug Service.
Address: Phone: 901-836-5375
Town: Halls State: TN County: Lauderdale
Railway Connection: None.
Purpose: Mooring company-owned floating equipment and barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.900278
Total Berthing Space (feet): 42 | | Longitude (decimal): -89.63944
Remarks: Towboats are moored end-to face and along sides. Upper fleet has capacity for 12 empty barges on 6 shore wires, each 1 barge long and 2 barges wide; lower fleet has capacity for 22 loaded barges on 11 shore wire and 2 barges wide.

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22818 Dock Code: 100 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 823 PWD: 111
 Name: **Nucor Steel - Arkansas Corp., Blytheville Dock.**
 Location: Mile 823.0 AHP, right bank, Mississippi River. Datum: LWRP
 Operator: Nucor Steel - Arkansas Corp.
 Owner: Nucor Steel - Arkansas Corp.
 Address: Phone: 501-762-2100
 Town: Armorel State: AR County: Mississippi
 Railway Connection: Four surface tracks extending to face of wharf merge into 2 surface tracks, join with additional trackage serving plant at rear; connect with Burlington Northern Railroad.
 Purpose: Receipt of scrap metal; shipment of rolled steel.
 Depth Alongside (feet): 12 | | Latitude (decimal): 35.944722
 Total Berthing Space (feet): 719 | | Longitude (decimal): -89.68917
 Remarks: Wharf and steel plant at rear were under construction at time of survey. Facilities are described as they will be installed and operated, upon completion of construction.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22823 Dock Code: 100 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 827 PWD: 110
 Name: **Bunge Corp., Huffman Elevator Dock.**
 Location: Mile 826.8 AHP, right bank, Mississippi River, Huffman. Datum: LWRP
 Operator: Bunge Corp.
 Owner: Bunge Corp.
 Address: Phone: 800-344-5412
 Town: Huffman State: AR County: Mississippi
 Railway Connection: None.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 20 | | Latitude (decimal): 35.981389
 Total Berthing Space (feet): 500 | | Longitude (decimal): -89.725
 Remarks: Grain elevator at rear with 6 steel tanks has capacity for 3,120,000 bushles. Grain is received by truck for shipment by barge. Steele's Tug Service (Ref. No. 62) maintains shore moorings having capacity for 6
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22826 Dock Code: 701 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
Waterway: **Mississippi River** Mile: 831 PWD: 63
Name: **Gulf Coast Grain, Heloise Elevator Dock.**
Location: Mile 831.0 AHP, left bank, Mississippi River, Finley. Datum: LWRP
Operator: Gulf Coast Grain, a division of St. John Grain Corp.
Owner: Gulf Coast Grain, a division of St. John Grain Corp.
Address: 2367 Midway Road Phone: 1-800-748-9017
Town: Finley State: TN County: Dyer
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.034444
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.67944
Remarks: Grain elevator at rear, with 5 steel tanks, has capacity for 900,000 bushels. Grain is received by truck for shipment by barge. Fleeting areas with shore moorings above and below wharf have capacity for 25 load respectively.

Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22831 Dock Code: 002 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 832 PWD: 64
Name: **Choctaw Transportation Co., Heloise Dock.**
Location: Mile 831.5 AHP, left bank, Mississippi River, Heloise. Datum: LWRP
Operator: Choctaw Transportation Co., Inc.
Owner: Choctaw Transportation Co., Inc.
Address: Phone: 901-285-4664
Town: Heloise State: TN County: Dyer
Railway Connection: None.
Purpose: Receipt of stone, sand, and bulk fertilizer; mooring company-owned barges for repair.
Depth Alongside (feet): 3 | 3 - 10 | Latitude (decimal): 36.043056
Total Berthing Space (feet): 1000 | | Longitude (decimal): -89.67778
Remarks: Open storage area at rear has capacity for approximately 50,000 tons of material. □

Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22832 Dock Code: 002 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 833 PWD: 109
 Name: **Smith Towing Service Dock and Fleet Mooring.**
 Location: Mile 832.7 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
 Operator: Smith Towing Service.
 Owner: Smith Towing Service.
 Address: Phone: 314-333-1025
 Town: Caruthersville State: MO County: Pemiscot
 Railway Connection: None.
 Purpose: Mooring company-owned, floating equipment and mooring barges for fleeting. (See Remarks.)
 Depth Alongside (feet): 10 - 15 | 10 | Latitude (decimal): 36.061111
 Total Berthing Space (feet): 75 | 32 | Longitude (decimal): -89.68833
 Remarks: Heloise Fleet is arranged in 16 tiers, each 2-wide. Floating equipment is berthed end-to wharf at face and along either side.□

Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22832 Dock Code: 701 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 834 PWD: 108
 Name: **Continental Grain Co., Cottonwood Point Elevator Dock.**
 Location: Mile 833.6 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
 Operator: Continental Grain Co.
 Owner: Continental Grain Co.
 Address: Phone: 800-821-6345
 Town: Caruthersville State: MO County: Pemiscot
 Railway Connection: None.
 Purpose: Shipment of grain; fleeting barges. (See Remarks.)
 Depth Alongside (feet): 15 - 20 | | Latitude (decimal): 36.073333
 Total Berthing Space (feet): 265 | | Longitude (decimal): -89.685
 Remarks: Grain elevator at rear with one steel tank and 4 concrete silos with one interstice has capacity for 386,000 bushles. Grain is received by truck for shipment by barge. Wepfer Marine, Inc. maintains fleeting areas at shore moorings with capacities for approximately 8 barges each below wharf and on opposite side of river.

Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22833 Dock Code: 601 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 839 PWD: 65
Name: **Bunge Corp., Boothspoint Elevator Dock.**
Location: Mile 838.8 AHP, left bank, Mississippi River, Boothpoint, 600 feet below U.S. Highway 155 Bridge. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Phone: 901-285-3640
Town: Boothspoint State: TN County: Dyer
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 25 | | Latitude (decimal): 36.110833
Total Berthing Space (feet): 590 | | Longitude (decimal): -89.61361
Remarks: Grain elevator at rear, with 6 steel tanks, has capacity for 2,100,000 bushels. Grain is received by truck for shipment by barge.□
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22838 Dock Code: 701 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 847 PWD: 107
Name: **Bunge Corp., Caruthersville Dock.**
Location: Mile 846.5 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Phone: 314-333-4121
Town: Caruthersville State: MO County: Pemiscot
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 3 | | Latitude (decimal): 36.195
Total Berthing Space (feet): 666 | | Longitude (decimal): -89.65333
Remarks: Grain elevator at rear with 36 concrete silos, 20 interstices, and one steel tank has capacity for 1,900,000 bushels. Grain is received by truck for shipment by barge.
Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22846 Dock Code: 401 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 847 PWD: 106
 Name: **Caruthersville River Terminal Dock.**
 Location: Mile 847.3 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
 Operator: Caruthersville River Terminal.
 Owner: Kennett Liquid Fertilizer Co., Inc.
 Address: Phone: 314-333-4299
 Town: Caruthersville State: MO County: Pemiscot
 Railway Connection: None.
 Purpose: Receipt of liquid fertilizer.
 Depth Alongside (feet): 15 | | Latitude (decimal): 36.203889
 Total Berthing Space (feet): 195 | | Longitude (decimal): -89.66528
 Remarks: One 12- becoming 6-, two 4-, and one 6-inch pipelines extend over levee to 6 steel storage tanks at terminal on opposite side, total capacity 1,547,000 gallons.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22846 Dock Code: 011 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 848 PWD: 105
 Name: **Caruthersville Marine Service, Dock and Fleet Mooring.**
 Location: Mile 847.9 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
 Operator: Caruthersville Marine Service, Inc.
 Owner: Caruthersville Marine Service, Inc.
 Address: Phone: 314-333-2378
 Town: Caruthersville State: MO County: Pemiscot
 Railway Connection: None.
 Purpose: Receipt of sand, limestone, and fertilizer; mooring company-owned floating equipment; mooring barges for fleet.
 Depth Alongside (feet): 15 | | 15 Latitude (decimal): 36.208333
 Total Berthing Space (feet): 238 | | 100 Longitude (decimal): -89.67306
 Remarks: *Fleet is arranged in 25 tiers, each up to 5 barges wide. □Fifteen acres of open storage area with capacity for approximately 200,000-cubic yards of material located in rear.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22847 Dock Code: 001 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
Waterway: **Mississippi River** Mile: 848 PWD: 104
Name: **Caruthersville Shipyard, Outfitting Dock and Pier.**
Location: Mile 848.3 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
Operator: Caruthersville Shipyard, Inc., Subsidiary of Mariner Holding, Inc.
Owner: Mariner Holding Inc., d.b.a. St. Louis Ship.
Address: Phone: 314-333-1840
Town: Caruthersville State: MO County: Pemiscot
Railway Connection: None.
Purpose: Mooring barges for outfitting and repair; and receipt of steel coils for shipyard use.
Depth Alongside (feet): 8 | | Latitude (decimal): 36.210556
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -89.67611
Remarks: Two barge-building and launching ways are located at upper side of outfitting dock. Pier is located approximately 700 feet downstream.□

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22848 Dock Code: 101 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 849 PWD: 103
Name: **Southern Terminal Co., Caruthersville Dock.**
Location: Mile 848.6 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
Operator: Southern Terminal Co., Inc.
Owner: Southern Terminal Co., Inc.
Address: Phone: 314-333-4237
Town: Caruthersville State: MO County: Pemiscot
Railway Connection: None.
Purpose: Receipt and occasional shipment of liquid fertilizer.
Depth Alongside (feet): 15 | | Latitude (decimal): 36.215
Total Berthing Space (feet): 275 | | Longitude (decimal): -89.68167
Remarks: A 45- by 35-foot, steel breasting float, although not permanently moored at site, is used when unloading operations take place. Two 8-inch pipelines extend across levee to 7 steel storage tanks at terminal on op total capacity 4,794,200 gallons.

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22848 Dock Code: 011 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 849 PWD: 102
 Name: **Unifert U.S.A., Caruthersville Dock.**
 Location: Mile 849.4 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
 Operator: Unifert U.S.A., Inc.
 Owner: Pemiscot County Port Authority.
 Address: Phone: 816-941-8630
 Town: Caruthersville State: MO County: Pemiscot
 Railway Connection: None.
 Purpose: Receipt of fertilizer and other dry bulk commodities.
 Depth Alongside (feet): 12 | | Latitude (decimal): 36.229167
 Total Berthing Space (feet): 200 | | Longitude (decimal): -89.69889
 Remarks: At time of survey (1992), facility was in planning stage and mechanical- handling details were not available.□

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22849 Dock Code: 501 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 850 PWD: 98
 Name: **Caruthersville Marine Service Fleet Mooring.**
 Location: Miles 850.0, 848.2, and 847.1 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
 Operator: Caruthersville Marine Service, Inc.
 Owner: Caruthersville Marine Service, Inc.
 Address: Phone: 314-333-2378
 Town: Caruthersville State: MO County: Pemiscot
 Railway Connection: None.
 Purpose: Mooring barges for fleet.
 Depth Alongside (feet): - 10 | 10 | 8 - 15 Latitude (decimal): 36.238889
 Total Berthing Space (feet): 4050 | 100 | 4050 Longitude (decimal): -89.70167
 Remarks: Boat Club Chute Fleet at Mile 850.0 has capacity for 50 barges moored end-to bank; Left Bank Fleet at Mile 848.2 has capacity for 100 barges arranged 20 long by 5-wide; and Right Bank Fleet at Mile 847.1 (below R capacity for 50 barges.

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22848 Dock Code: 001 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 850 PWD: 99
 Name: **Pemiscot County Port Authority, Fertilizer Dock.**
 Location: Mile 849.9 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
 Operator: MFA, Inc.
 Owner: Pemiscot County Port Authority.
 Address: Phone: 314-359-1098
 Town: Caruthersville State: MO County: Pemiscot
 Railway Connection: None.
 Purpose: Receipt of dry and liquid fertilizer; occasional receipt of dry bulk commodities including salt, lime, and chert.
 Depth Alongside (feet): 12 | | Latitude (decimal): 36.231944
 Total Berthing Space (feet): 400 | | Longitude (decimal): -89.70083
 Remarks: One 8-inch pipeline extends from wharf to one 3,500-ton, liquid fertilizer storage tank at rear. Four concrete storage domes at rear have total capacity for 32,000 tons of dry fertilizer. Breasting dolphins and with face of those at adjacent Ref. No. 100, providing 880 feet of continuous berthing space.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22850 Dock Code: 102 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 850 PWD: 101
 Name: **Pemiscot County Port Authority, General Cargo Terminal Wharf.**
 Location: Mile 849.5 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
 Operator: Mariner Terminals, Inc., and Xenium Fiberglass Corp.
 Owner: Pemiscot County Port Authority.
 Address: Phone: 314-333-4125
 Town: Caruthersville State: MO County: Pemiscot
 Railway Connection: None.
 Purpose: Receipt and shipment of barge covers and dry bulk commodities; occasional ? shipment ? receipt ? of general cargo.
 Depth Alongside (feet): 12 | | Latitude (decimal): 36.230278
 Total Berthing Space (feet): 200 | | Longitude (decimal): -89.70028
 Remarks: Mariner Terminals, Inc. handles dry bulk commodities and occasionally general cargo. □Xenium Fiberglass Corp. manufactures and refurbishes fiber glass barge hatch covers in a 35,000-square foot, steel frame, metal-covered building at rear. Approximately 10 acres of open storage area are located at rear.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22850 Dock Code: 102 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 850 PWD: 100
 Name: **Pemiscot County Port Authority, Grain Dock.**
 Location: Mile 849.8 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
 Operator: Gulf Coast Grain, a division of St. John Grain Corp.
 Owner: Pemiscot County Port Authority.
 Address: Phone: 314-359-9533
 Town: Caruthersville State: MO County: Pemiscot
 Railway Connection: None.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 12 | | Latitude (decimal): 36.230833
 Total Berthing Space (feet): 480 | | Longitude (decimal): -89.70028
 Remarks: Breasting dolphins and cells are in line with face of those at adjacent Ref. No. 99, providing 880 feet of continuous berthing space. Grain elevator at rear with four steel storage tanks has total capacity for 8
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22850 Dock Code: 102 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 871 PWD: 66
 Name: **Continental Grain Co., Tiptonville Elevator Dock.**
 Location: Mile 870.8 AHP, left bank, Mississippi River, Tiptonville. Datum: LWRP
 Operator: Continental Grain Co.
 Owner: Continental Grain Co.
 Address: Phone: 901-253-9934
 Town: Tiptonville State: TN County: Lake
 Railway Connection: None.
 Purpose: Shipment of grain; fleeting barges. (See Remarks.)
 Depth Alongside (feet): 10 | | Latitude (decimal): 36.343889
 Total Berthing Space (feet): 195 | | Longitude (decimal): -89.51833
 Remarks: Grain elevator at rear with 5 steel tanks has capacity for 340,000 bushels. Grain is received by truck for shipment by barge. Fleeting area along natural bank with shore moorings has capacity for 8 to 12 empty loaded barges below wharf, and is operated by Carutherville Marine Service, Inc. (P.W.D. Ref. Nos. 98 and 105).
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22871 Dock Code: 101 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 876 PWD: 97
 Name: **Bunge Corp., Linda Grain Elevator Dock.**
 Location: Mile 875.7 AHP, right bank, Mississippi River, Linda. Datum: LWRP
 Operator: Bunge Corp.
 Owner: Bunge Corp.
 Address: Phone: 314-379-5405
 Town: Linda State: MO County: New Madrid
 Railway Connection: None.
 Purpose: Shipment of grain; fleeting barges. (See Remarks).
 Depth Alongside (feet): 9 | | Latitude (decimal): 36.4125
 Total Berthing Space (feet): 540 | | Longitude (decimal): -89.53722
 Remarks: Grain elevator at rear with 8 steel storage tanks has capacity for 2,700,000 bushels. Grain is received by truck for shipment by barge. St. Jude and New Madrid Harbor Service, Inc. (Ref. No. 96) maintains a fle moorings below wharf for 50 loaded and 50 empty barges.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22875 Dock Code: 701 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 882 PWD: 96
 Name: **St. Jude and New Madrid Harbor Service, Toney Point Fleet Mooring.**
 Location: Mile 875.6, 883.8, and 885.1 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
 Operator: St. Jude and New Madrid Harbor Service, Inc.
 Owner: St. Jude and New Madrid Harbor Service, Inc.
 Address: Phone: 314-643-2321
 Town: New Madrid State: MO County: New Madrid
 Railway Connection: None.
 Purpose: Mooring barges for fleeting.
 Depth Alongside (feet): 10 - 12 | 21 - 21 | 10 Latitude (decimal): 36.498333
 Total Berthing Space (feet): 16 | 16 | 100 Longitude (decimal): -89.54444
 Remarks: St. Jude Fleet, and Noranda Upper and Lower Fleets are at cells, all arranged in tiers 4 barges long by 4-wide; Linda Fleet is arranged in 25 tiers, each 4-wide.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22882 Dock Code: 101 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 884 PWD: 95
 Name: **Noranda Aluminum, New Madrid Dock.**
 Location: Mile 883.8 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
 Operator: Noranda Aluminum, Inc.
 Owner: Noranda Aluminum, Inc.
 Address: Phone: 314-643-2361
 Town: New Madrid State: MO County: New Madrid
 Railway Connection: Four surface tracks serve plant in rear; connect with St. Louis Southwestern Railway.
 Purpose: Receipt of alumina and coke.
 Depth Alongside (feet): 21 | | Latitude (decimal): 36.511389
 Total Berthing Space (feet): 1740 | | Longitude (decimal): -89.55472
 Remarks: Four alumina storage tanks, total capacity 59,000 tons, and 3 coke storage tanks, total capacity 15,000 tons, located at alumina, primary-reduction plant in rear.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22883 Dock Code: 901 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 885 PWD: 92
 Name: **New Madrid County Port Authority, Grain Terminal.**
 Location: Lower side of dredged slip, mile 885.0 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
 Operator: Louis Dreyfus Corp.
 Owner: New Madrid County Port Authority.
 Address: Phone: 800-548-4906
 Town: New Madrid State: MO County: New Madrid
 Railway Connection: Two surface tracks serving elevator at rear connect with Saint Louis Southwestern Railway.
 Purpose: Shipment of grain and rice.
 Depth Alongside (feet): 10 | | Latitude (decimal): 36.527222
 Total Berthing Space (feet): 200 | | Longitude (decimal): -89.5675
 Remarks: Slip is 1,500 feet long, by 436 feet wide. Elevator at rear has 32 steel tanks with total capacity for 990,000 bushels of rice or grain. Raw rice is delivered by truck to rice mill at rear; milled rice and grain shipment by barge.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22885 Dock Code: 001 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 885 PWD: 94
 Name: **New Madrid Power Plant Dock.**
 Location: Mile 884.7 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
 Operator: Associated Electric Cooperative, Inc. and Reed Mineral Co., Inc.
 Owner: Associated Electric Cooperative, Inc.
 Address: Phone: 314-643-2211
 Town: New Madrid State: MO County: New Madrid
 Railway Connection: Two surface tracks serve power plant in rear; connect with St. Louis Southwestern Railway.
 Purpose: Receipt of coal; shipment of slag.
 Depth Alongside (feet): 23 | 15 | Latitude (decimal): 36.520556
 Total Berthing Space (feet): 3255 | 600 | Longitude (decimal): -89.56222
 Remarks: Associated Electric Cooperative, Inc. receives coal; Reed Mineral Co., Inc. ships slag. Open storage area has capacity for 56,000 tons of coal, and approximately 25,000 tons of slag. Berthing facility has capacity to unload and 24 loaded barges, consisting of 4 tiers above and 8 below unloader respectively, each 3 barges wide.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22884 Dock Code: 601 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 885 PWD: 93
 Name: **St. Jude Industrial Park, Barge Dock.**
 Location: Mile 884.9 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
 Operator: St. Jude, and New Madrid Harbor Service, Inc.
 Owner: City of New Madrid.
 Address: Phone: 314-643-2321
 Town: New Madrid State: MO County: New Madrid
 Railway Connection: None.
 Purpose: Receipt of machinery and heavy equipment; shipment of slag, receipt and shipment of miscellaneous dry bulk materials.
 Depth Alongside (feet): 17 | | Latitude (decimal): 36.524444
 Total Berthing Space (feet): 600 | | Longitude (decimal): -89.56444
 Remarks: Breasting dolphins are in line with those of New Madrid's power plant, coal-unloading dock, Ref. No. 94; one permanently-moored, 195- by 35-foot, steel barge at lower rear of face is used for mooring towboats by New Madrid Harbor Service, Inc.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22884 Dock Code: 001 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
Waterway: **Mississippi River** Mile: 888 PWD: 90
Name: **Cargill, Inc., New Madrid Fertilizer Dock.**
Location: Mile 888.2 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
Operator: Cargill, Inc., Fertilizer Department.
Owner: Cargill, Inc., Fertilizer Department.
Address: Phone: 314-748-2109
Town: New Madrid State: MO County: New Madrid
Railway Connection: None.
Purpose: Receipt of dry bulk fertilizers, including urea, phosphate, and potash, and liquid UAN fertilizer.
Depth Alongside (feet): 6 | | Latitude (decimal): 36.580556
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.54944
Remarks: One 6-inch pipeline extends from wharf to one 1,000,250-gallon, liquid fertilizer tank at rear. One timber, fertilizer warehouse in rear has capacity for 5,800 tons, and 2 concrete domes have a total capacity for dry fertilizers.

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22888 Dock Code: 501 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 888 PWD: 89
Name: **Cargill, Inc., New Madrid Grain Elevator Dock.**
Location: Mile 888.3 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: Phone: 800-523-2755
Town: New Madrid State: MO County: New Madrid
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 36.580833
Total Berthing Space (feet): 360 | | Longitude (decimal): -89.54722
Remarks: Grain elevator at rear with 6 steel tanks and 4 concrete silos has capacity for 935,000 bushels. Grain is received by truck for shipment by barge. □

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22888 Dock Code: 601 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 888 PWD: 91
Name: **Koch Materials Co., New Madrid Dock.**
Location: Mile 888.0 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
Operator: Koch Materials Co., Inc.
Owner: Koch Materials Co., Inc.
Address: Phone: 314-748-2587
Town: New Madrid State: MO County: New Madrid
Railway Connection: None.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 4 | | Latitude (decimal): 36.576944
Total Berthing Space (feet): 240 | | Longitude (decimal): -89.55667
Remarks: One 6- to 8-inch pipeline extends from float to 5 steel storage tanks at plant in rear, total capacity 140,000 barrels. □

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22888 Dock Code: 901 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 889 PWD: 88
Name: **Ralph Anderson Lumber Co. Dock.**
Location: Mile 888.7 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
Operator: Ralph Anderson Lumber Co., Inc.
Owner: Ralph Anderson Lumber Co., Inc.
Address: 1000 Mott Street Phone: 314-748-5545
Town: New Madrid State: MO County: New Madrid
Railway Connection: None.
Purpose: Receipt of logs.
Depth Alongside (feet): 5 | | Latitude (decimal): 36.582778
Total Berthing Space (feet): 300 | | Longitude (decimal): -89.53722
Remarks: Open storage area fronting levee has capacity for approximately 2,000,000 board feet of logs. □

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22888 Dock Code: 701 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
Waterway: **Mississippi River** Mile: 889 PWD: 86
Name: **Sinclair Pipeline Co., New Madrid Terminal Dock.**
Location: Mile 889.0 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
Operator: Sinclair Pipeline Co.
Owner: Sinclair Pipeline Co.
Address: 211 Water Street Phone: 314-748-2340
Town: New Madrid State: MO County: New Madrid
Railway Connection: None.
Purpose: Receipt of gasoline and fuel oil.
Depth Alongside (feet): 8 | | Latitude (decimal): 36.5825
Total Berthing Space (feet): 195 | | Longitude (decimal): -89.52417
Remarks: One 6-, and two 6- to 8-inch pipelines extend from wharf to 4 gasoline storage tanks, total capacity 68,000 barrels, and 7 fuel-oil storage tanks, total capacity 41,350 barrels, at terminal on opposite side of le

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22888 Dock Code: 200 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 889 PWD: 87
Name: **St. Jude and New Madrid Harbor Service, New Madrid Fleet Moorings.**
Location: Mile 888.9-888.0 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
Operator: St. Jude and New Madrid Harbor Service, Inc.
Owner: St. Jude and New Madrid Harbor Service, Inc.
Address: Phone: 314-688-2214
Town: New Madrid State: MO County: New Madrid
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 5 - 10 | 10 | 5 - 10 Latitude (decimal): 36.582778
Total Berthing Space (feet): 100 | 100 | 165 Longitude (decimal): -89.53389
Remarks: The St. Jude and Anderson Fleets each are arranged in 25 tiers, each 4-wide; the New Madrid Island Fleet is arranged in 35 tiers, 4-wide and 5 tiers, 5-wide.

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22888 Dock Code: 001 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 901 PWD: 67
 Name: **U.S. Army Corps of Engineers, Cates Casting Field Landing.**
 Location: Mile 900.5 AHP, left bank, Mississippi River, Cates. Datum: LWRP
 Operator: None. (See Remarks.)
 Owner: U.S. Government.
 Address: Phone:
 Town: Cates State: TN County: Lake
 Railway Connection: None.
 Purpose: Not used. (See Remarks.)
 Depth Alongside (feet): - 3 | | Latitude (decimal): 36.429444
 Total Berthing Space (feet): 400 | | Longitude (decimal): -89.46778
 Remarks: Facility is normally operated by the U.S. Army Corps of Engineers on an as-required basis, however at time of survey (1992) was on inactive status. Bulldozer constructs causeways for truck access to floating equ along bank, and additional government-owned floating equipment berths along natural bank above and below. Sections of articulated, concrete mattresses are cast in field at rear, loaded into trucks, transported to playby crane onto barges. Open storage area at rear has capacity for 41,000 concrete-revetment slabs stacked 6-high.

Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22900 Dock Code: 602 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 921 PWD: 68
 Name: **Bunge Corp., Hickman Grain Elevator Dock.**
 Location: Mile 921.3 AHP, left bank, Mississippi River, Hickman. Datum: LWRP
 Operator: Bunge Corp.
 Owner: Bunge Corp.
 Address: Phone: 502-236-2579
 Town: Hickman State: KY County: Fulton
 Railway Connection: None.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 8 | | Latitude (decimal): 36.5675
 Total Berthing Space (feet): 540 | | Longitude (decimal): -89.21583
 Remarks: Grain elevator at rear with 4 steel tanks has capacity for 750,000 bushels. Grain is received by truck for shipment by barge.□

Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22921 Dock Code: 302 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 922 PWD: 69
 Name: **Hickman Ferry, Hickman Landing.**
 Location: Mile 921.9 AHP, left bank, Mississippi River, Hickman. Datum: LWRP
 Operator: Mississippi County Port Authority.
 Owner: Mississippi County Port Authority.
 Address: Phone: 502-236-3448
 Town: Hickman State: KY County: Fulton
 Railway Connection: None.
 Purpose: Landing for passenger and vehicular ferry to Dorena, Missouri. (See Remarks.)
 Depth Alongside (feet): 25 | | Latitude (decimal): 36.568056
 Total Berthing Space (feet): 30 | | Longitude (decimal): -89.21194
 Remarks: Ferry service to Dorena Landing, Missouri, State Highway 77 on opposite bank (P.W.D. Ref. No. 85) was scheduled to commence in 1994, the sole vehicular connection between the two states.
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22921 Dock Code: 402 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 922 PWD: 70
 Name: **Hickman Harbor & Marine Service, Fleet Moorings.**
 Location: Mile 922.3 AHP, left bank, Mississippi River, Hickman Harbor (Bayou De Chien). Datum: LWRP
 Operator: Hickman Harbor & Marine Service.
 Owner: Hickman Harbor & Marine Service.
 Address: Phone: 502-236-2042
 Town: Hickman State: KY County: Fulton
 Railway Connection: None.
 Purpose: Mooring company-owned floating equipment; mooring barges for fleet and repair.
 Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 36.569167
 Total Berthing Space (feet): 30 | 7 | 5 Longitude (decimal): -89.20667
 Remarks: Barges are moored end-to bank at lower, Stokes, and USCG Fleets except at low water stage when they are moored parallel to the bank to clear channel, and River Grain Fleet barges are usually moored parallel to th
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22922 Dock Code: 502 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 922 PWD: 71
 Name: **Hickman-Fulton County Riverport Authority, Lower Dock.**
 Location: Mile 922.3 AHP, left bank, Mississippi River, Hickman Harbor (Bayou De Chien). Datum: LWRP
 Operator: Hickman-Fulton County Riverport Authority.
 Owner: Hickman-Fulton County Riverport Authority.
 Address: Phone: 502-236-2563
 Town: Hickman State: KY County: Fulton
 Railway Connection: One platform-level track serving warehouse connects with Tennken Railroad, thence Illinois Central Railroad at Dyersburg, Kentucky.
 Purpose: Receipt and shipment of grain, steel products, carbon electrodes, and receipt of bagged grain and dry bulk commodities, including fertilizer, petroleum coke, and limestone.
 Depth Alongside (feet): 14 | | Latitude (decimal): 36.569444
 Total Berthing Space (feet): 500 | | Longitude (decimal): -89.20583
 Remarks: Face of dolphins are in line with dolphins serving adjacent wharf (Ref. No. 72), providing 500 continuous feet of berthing space. Grain elevator at rear, operated by River Grain Co., Inc. with 4 steel tanks, has 1,060,000 bushels, with an additional 1,000,000-bushel, temporary storage on concrete pad covered by expandable canvas cover. Temporary storage area is served by a 26-inch, inclined, conveyor belt and an auger retrieve concrete pad. Grain is received by truck for shipment by barge. One 18,000-square foot, steel-, and one 6,000-square foot, timber frame, metal-covered warehouses are located in rear. Open storage are stacker has capacity for 21,000 tons, with an additional 9-acres of open storage available.

Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22922 Dock Code: 702 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 922 PWD: 72
 Name: **Hickman-Fulton County Riverport Authority, Upper Dock.**
 Location: Mile 922.3 AHP, left bank, Mississippi River, Hickman Harbor (Bayou De Chien). Datum: LWRP
 Operator: Hickman-Fulton County Riverport Authority.
 Owner: Hickman-Fulton County Riverport Authority.
 Address: Phone: 502-236-2563
 Town: Hickman State: KY County: Fulton
 Railway Connection: One surface track serving rail pit connects with Tennken Railroad, thence Illinois Central Railroad at Dyersburg, Ky.
 Purpose: Shipment of grain and dry bulk commodities including fertilizer, sand, and limestone. (See Remarks.)
 Depth Alongside (feet): 14 | | Latitude (decimal): 36.569444
 Total Berthing Space (feet): 500 | | Longitude (decimal): -89.20528
 Remarks: Face of dolphins are in line with dolphins serving adjacent wharf (Ref. No. 71) providing 500 continuous feet of berthing space. Rail and truck unloading facility at rear is equipped with a marine leg for direct truck to barge, or transfer from rail to truck. Hopper and intersecting conveyor system on lower side served by crane at adjacent Ref. No. 71 is used for loading railcars and trucks with commodities received at that

Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22922 Dock Code: 702 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 922 PWD: 73
 Name: **River Grain Co., Hickman Dock.**
 Location: Mile 922.4 AHP, left bank, Mississippi River, Hickman. Datum: LWRP
 Operator: River Grain Co., Inc.
 Owner: River Grain Co., Inc.
 Address: Phone: 502-236-9000
 Town: Hickman State: KY County: Fulton
 Railway Connection: None.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 6 - 15 | | Latitude (decimal): 36.570833
 Total Berthing Space (feet): 195 | | Longitude (decimal): -89.20333
 Remarks: Grain elevator at rear, with 11 steel tanks, has capacity for 750,000 bushels. Grain is received by truck for shipment by barge. ☐

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22922 Dock Code: 202 Memphis District

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 923 PWD: 84
 Name: **Gulf Coast Grain Co., Dorena Elevator Dock.**
 Location: Mile 923.0 AHP, right bank, Mississippi River, Dorena. Datum: LWRP
 Operator: Gulf Coast Grain Co., Inc.
 Owner: Gulf Coast Grain Co., Inc.
 Address: Phone: 314-649-3014
 Town: Dorena State: MO County: Mississippi
 Railway Connection: None.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 15 | | Latitude (decimal): 36.591111
 Total Berthing Space (feet): 250 | | Longitude (decimal): -89.21083
 Remarks: Grain elevator at rear, with 6 steel tanks, has capacity for 598,000 bushels. Grain is received by truck for shipment by barge. ☐

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22923 Dock Code: 001 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 923 PWD: 85
Name: **Hickman Ferry, Dorena Landing.**
Location: Mile 922.6 AHP, right bank, Mississippi River, Dorena. Datum: LWRP
Operator: Mississippi County Port Authority.
Owner: Mississippi County Port Authority.
Address: Phone: 502-236-2222
Town: Dorena State: MO County: Mississippi
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Hickman, Kentucky. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 36.586111
Total Berthing Space (feet): 30 | | Longitude (decimal): -89.21444
Remarks: Ferry service to Hickman Landing, Kentucky on opposite bank (P.W.D. Ref. No. 69), was scheduled to commence in 1994, the sole vehicular connection between the states.

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22922 Dock Code: 702 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 923 PWD: 74
Name: **U.S. Coast Guard Depot, Hickman Moorings.**
Location: Mile 922.6 AHP, left bank, Mississippi River, Hickman. Datum: LWRP
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: Phone: 502-236-2324
Town: Hickman State: KY County: Fulton
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels; handling navigation aids, supplies, and equipment.
Depth Alongside (feet): 14 | | Latitude (decimal): 36.572222
Total Berthing Space (feet): 100 | | Longitude (decimal): -89.2
Remarks: Repair, maintenance, and storage facilities for U.S. Coast Guard equipment is located at rear.□

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22922 Dock Code: 402 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 937 PWD: 75
Name: **Great Rivers Marine, Columbus Service Dock.**
Location: Mile 937.1 AHP, and Miles 942.0-943.0 AHP, left bank, Mississippi River, Columbus. Datum: LWRP
Operator: Great Rivers Marine Service; and Custom Fuel Services.
Owner: Great Rivers Marine Service.
Address: Phone: 502-677-2161
Town: Columbus State: KY County: Hickman
Railway Connection: None.
Purpose: Mooring vessels, towboats, and barges for repair; mooring mid-stream fueling barges and floating drydocks.
Depth Alongside (feet): 65 | | Latitude (decimal): 36.764722
Total Berthing Space (feet): 780 | | Longitude (decimal): -89.11333
Remarks: One 1,700- and one 250-ton, floating drydocks are moored at wharf.□□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22937 Dock Code: 102 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 939 PWD: 83
Name: **Great Rivers Marine Service, Island 2 Fleet Moorings.**
Location: Miles 936.0-943.0 AHP, right bank, Mississippi River. Datum: LWRP
Operator: Great Rivers Marine Service.
Owner: Great Rivers Marine Service.
Address: Phone: 314-675-3257
Town: State: MO County: Mississippi
Railway Connection: None.
Purpose: Mooring barges for fleetting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.894444
Total Berthing Space (feet): 288 | 160 | 432 Longitude (decimal): -89.12389
Remarks: -□□
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22937 Dock Code: 102 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 949 PWD: 76
Name: **Great Rivers Marine Service, Kentucky Fleet Mooring.**
Location: Miles 942.0-943.0 AHP, left bank, Mississippi River. Datum: LWRP
Operator: Great Rivers Marine Service.
Owner: Great Rivers Marine Service.
Address: Phone: 502-677-2161
Town: State: KY County: Carlisle
Railway Connection: None.
Purpose: Mooring barges for fleetling.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 36.942222
Total Berthing Space (feet): 72 | | Longitude (decimal): -89.09611
Remarks: Kentucky Fleets 1, 2, and 3 have capacity for 24 barges each, moored in 6 tiers, 4 barges wide. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22948 Dock Code: 110 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 949 PWD: 82
Name: **River Fleets, Inc., Moores Landing Wharf and Fleet Mooring.**
Location: Miles 945.0-949.2 AHP, right bank, Mississippi River, Wyatt. Datum: LWRP
Operator: River Fleets, Inc.
Owner: River Fleets, Inc.
Address: Phone: 314-675-3257
Town: Wyatt State: MO County: Mississippi
Railway Connection: None.
Purpose: Mooring barges for fleetling and repair; mooring company-owned floating equipment.
Depth Alongside (feet): 12 - 14 | 12 - 9 | Latitude (decimal): 36.832778
Total Berthing Space (feet): 870 | 552 | Longitude (decimal): -89.14722
Remarks: Twelve fleets have total capacity for 552 barges, each arranged in tiers 5 to 8 barges long and 8 wide.
Fleet 12 at the lower end is seldom used. □
Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22949 Dock Code: 001 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
Waterway: **Mississippi River** Mile: 950 PWD: 77
Name: **Westvaco Corp., Wickliffe Dock.**
Location: Mile 950.4 AHP, left bank, Mississippi River, Wickliffe. Datum: LWRP
Operator: Not operated.
Owner: Westvaco Corp., Fine Papers Division.
Address: Phone: 502-335-3131
Town: Wickliffe State: KY County: Ballard
Railway Connection: Trackage serving plant in rear connects with Illinois Central Railroad.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 36.95
Total Berthing Space (feet): 262 | | Longitude (decimal): -89.09472
Remarks: Wharf was designed for receipt of long logs; however, at time of survey (1992) short logs were being received by truck. □

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22950 Dock Code: 402 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 951 PWD: 78
Name: **John F. Beasley Construction Co., Loading Dock and Fleet Mooring.**
Location: Mile 951.2 AHP, left bank, Mississippi River, Wickliffe. Datum: LWRP
Operator: John F. Beasley Construction Co., Inc.
Owner: John F. Beasley Construction Co., Inc.
Address: Phone: 502-335-3545
Town: Wickliffe State: KY County: Ballard
Railway Connection: None.
Purpose: Handling contractors' falsework fabrications, equipment and supplies; mooring barges.
Depth Alongside (feet): 6 - 15 | 15 | 6 - 15 Latitude (decimal): 36.961944
Total Berthing Space (feet): 900 | 600 | 300 Longitude (decimal): -89.09444
Remarks: Contractors' falsework fabrication and storage facilities are located in rear. □ □

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22951 Dock Code: 202 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 952 PWD: 81
Name: **CGB Marine Services, Island 1 Fleet Moorings.**
Location: Mile 949.0-952.0 AHP, right bank, Mississippi River, Wyatt. Datum: LWRP
Operator: CGB Marine Services.
Owner: Various owners.
Address: Phone: 618-748-9291
Town: State: MO County: Mississippi
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 12 - 20 | 9 | Latitude (decimal): 36.962222
Total Berthing Space (feet): 68 | 75 | Longitude (decimal): -89.10444
Remarks: Two anchor fleets have capacity for 34 barges each, moored in 5 tiers, 7 barges wide, and anchor barge; shore fleets have total capacity for 15 barges each, moored in 5 tiers, each 3 barges wide. The shore fleet stage above 25 (Cairo gauge).

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22951 Dock Code: 802 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 952 PWD: 79
Name: **Economy Boat Store, Wickliffe Dock.**
Location: Mile 951.5 AHP, left bank, Mississippi River, Wickliffe. Datum: LWRP
Operator: Economy Boat Store, Inc.
Owner: City of Wickliffe.
Address: Phone: 502-335-3180
Town: Wickliffe State: KY County: Ballard
Railway Connection: None.
Purpose: Mooring mid-stream fueling equipment; fueling towboats; handling ships stores and marine supplies.
Depth Alongside (feet): 15 | | Latitude (decimal): 36.965278
Total Berthing Space (feet): 220 | | Longitude (decimal): -89.10167
Remarks: Two mid-stream fueling barges and a 9,500-barrel, fuel flat are moored at wharf. □

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22951 Dock Code: 502 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Mississippi River** Mile: 952 PWD: 80
 Name: **Waterfront Services Co., Fleet Moorings.**
 Location: Mile 951.6-953.8 AHP, left bank, Mississippi River; Mile 975.7-977.7 and 979.0-981.5, left bank, Mile 97 Datum: NPE
 Operator: Waterfront Services Co.
 Owner: Waterfront Services Co.
 Address: 315 Ohio Street Phone: 618-734-4370
 Town: Wickliffe State: KY County: Ballard
 Railway Connection: None.
 Purpose: Mooring barges for fleetings.
 Depth Alongside (feet): 10 - 20 | - 10 | - 30 Latitude (decimal): 37.037778
 Total Berthing Space (feet): 390 | 480 | 456 Longitude (decimal): -89.18278
 Remarks: Fleet River Mile Bank Block Barges□Name
 Length by Width Held□Illinois 1 thru 10, and Bunge Fleets 1 and 2 Ohio 976.7-979.1 Right 12
 @ 4 by 5 240□Illinois 11 thru 18 Ohio 979.7-980.9 Right 6 @ 5 by 5 150□Kentucky 1
 thru 9 Ohio 975.7-977.7 Left 9 @ 4Kentucky 10 thru 20 Ohio 979.0-981.5 Left 11 @
 4 by 6 264□Kentucky 21 thru 39 Mississippi 953.8-951.6 Left 19 @ 4 by 6 456□
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22951 Dock Code: 602 Memphis District

Port: **Memphis**
 Waterway: **Rivergate Harbor** Mile: 726 PWD: 9
 Name: **LASH Intermodal Terminal Co. (LITCO), Memphis Dock.**
 Location: Left bank, Riverport Harbor Channel, one mile above mile 5.3, McKellar Lake; mile 725.5 AHP, left bank, Datum: LWRP
 Operator: LASH Intermodal Terminal Co.
 Owner: Belz Enterprises.
 Address: 2725 Riverport Road Phone: 901-774-4889
 Town: Memphis State: TN County: Shelby
 Railway Connection: Two surface tracks at rear with access to interior of transit shed; connect with Illinois Central Railroad.
 Purpose: Receipt and shipment of general cargo via LASH barges and heavy-lift items.
 Depth Alongside (feet): 18 | | Latitude (decimal): 35.077222
 Total Berthing Space (feet): 65 | | Longitude (decimal): -90.08833
 Remarks: Craneway at face of wharf forms approximately 65- by 50-foot bay for lifting and launching LASH barges. Terminal occupies approximately 50 acres.□
 Year of Last Survey: 1993 Corps of Engrs Waterway Code: 22300 Dock Code: 850 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Wolf River** Mile: 736 PWD: 51
 Name: **Bunge Corp., Memphis Elevator Dock.**
 Location: Mile 2.3, left bank, Wolf River, 1.4 miles above Interstate Highway 40 Bridge, mile 735.8 AHP, left bank Datum: LWRP
 Operator: Bunge Corp.
 Owner: Bunge Corp.
 Address: 1079 N. Second Street Phone: 901-525-0055
 Town: Memphis State: TN County: Shelby
 Railway Connection: One surface track with storage capacity for 18 cars serves undertrack pit and loading spout, connects with Illinois Central Railroad.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 10 | | Latitude (decimal): 35.171667
 Total Berthing Space (feet): 225 | | Longitude (decimal): -90.04611
 Remarks: Grain elevator at rear consists of 14 concrete silos with 6 interstices, and 2 concrete flat-storage buildings, total capacity 1,600,000 bushels of grain. □
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22400 Dock Code: 056 Memphis District

Port: **Memphis**
 Waterway: **Wolf River** Mile: 736 PWD: 53
 Name: **Cargill Memphis Molasses Terminal.**
 Location: Mile 2.7, left bank, 2,000 feet below Wolf River Dam, mile 735.8 AHP, left bank, Mississippi River, Memp Datum: LWRP
 Operator: Cargill, Inc.
 Owner: Cargill, Inc.
 Address: 1315 North Second Street Phone: 901-753-6794
 Town: Memphis State: TN County: Shelby
 Railway Connection: One surface track connects with Illinois Central Railroad.
 Purpose: Receipt of molasses and caustic soda; occasional receipt and shipment of bulk liquid products including vegetable oils, cottonseed oil, sunflower oil, and soybean-soap stock.
 Depth Alongside (feet): 20 | | Latitude (decimal): 35.1775
 Total Berthing Space (feet): 180 | | Longitude (decimal): -90.04611
 Remarks: One 4-inch pipeline extends from wharf to one 400,000-gallon, caustic soda storage tank; one 8-inch pipeline extends to 8 molasses storage tanks, total capacity 549,100 gallons; and two 4-inch pipelines extend di truck-loading spouts. One 2 1/2-inch steam line serves wharf.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22400 Dock Code: 056 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Wolf River** Mile: 736 PWD: 54
 Name: **Continental Grain Co., Memphis Grain Elevator Dock.**
 Location: Mile 2.8, left bank, 1,500 feet below Wolf River Dam, mile 735.8 AHP, left bank, Datum: LWRP
 Mississippi River, Memp
 Operator: Continental Grain Co.
 Owner: Continental Grain Co.
 Address: 1387 North Second Street Phone: 901-525-8701
 Town: Memphis State: TN County: Shelby
 Railway Connection: Two surface tracks connect with Illinois Central Railroad.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 17 | | Latitude (decimal): 35.179444
 Total Berthing Space (feet): 200 | | Longitude (decimal): -90.04611
 Remarks: Grain elevator at rear, consisting of 2 steel tanks and 16 concrete silos with 16 interstices, has total capacity for 750,000 bushels.□
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22400 Dock Code: 067 Memphis District

Port: **Memphis**
 Waterway: **Wolf River** Mile: 736 PWD: 50
 Name: **Lafarge Corp., Memphis Terminal Dock.**
 Location: Mile 1.9, left bank, Wolf River, one mile above Interstate Highway 40 Bridge, mile Datum: LWRP
 735.8 AHP, left bank,
 Operator: Lafarge Corp.
 Owner: Lafarge Corp.
 Address: 48 Henry Avenue Phone: 901-525-0311
 Town: Memphis State: MI County: Shelby
 Railway Connection: Two surface tracks at terminal in rear serve 2 loading spouts; connect with Illinois Central Railroad.
 Purpose: Receipt of bulk cement.
 Depth Alongside (feet): 12 | | Latitude (decimal): 35.166667
 Total Berthing Space (feet): 1326 | | Longitude (decimal): -90.04861
 Remarks: Two 8-inch pneumatic pipelines extend from storage barge to 9 concrete storage silos in rear, total capacity 14,000 tons; storage barge has capacity for 2,800 tons. Cement is received at a rate of 150 tons per h
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22400 Dock Code: 044 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **Wolf River** Mile: 736 PWD: 48
 Name: **Lone Star Industries, Memphis Terminal Dock.**
 Location: Mile 0.9, left bank, Wolf River, below Interstate Highway 40 Bridge, mile 735.8 AHP, Datum: LWRP
 left bank, Mississi
 Operator: Lone Star Industries, Inc.
 Owner: Lone Star Industries, Inc.
 Address: 6 Poplar Avenue Phone: 901-525-4817
 Town: Memphis State: TN County: Shelby
 Railway Connection: None.
 Purpose: Receipt of bulk cement.
 Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 35.150833
 Total Berthing Space (feet): 500 | | Longitude (decimal): -90.05472
 Remarks: One 12-inch, pneumatic pipeline extends from wharf to 10 concrete storage silos at terminal in rear,
 total capacity 15,000 tons. Bulk cement is received at a rate of 150 tons per hour.
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22400 Dock Code: 018 Memphis District

Port: **Memphis**
 Waterway: **Wolf River** Mile: 736 PWD: 47
 Name: **Memphis Queen Line Dock.**
 Location: Mile 0.3, left bank, Wolf River, 1,500 feet below Mud Island Tramway Bridge, mile Datum: LWRP
 735.8 AHP, left bank,
 Operator: Memphis Queen Line.
 Owner: Memphis Queen Line.
 Address: Foot of Monroe Avenue Phone: 901-527-5694
 Town: Memphis State: TN County: Shelby
 Railway Connection: None.
 Purpose: Mooring excursion vessels; boarding passengers.
 Depth Alongside (feet): 11 | | Latitude (decimal): 35.144722
 Total Berthing Space (feet): 230 | | Longitude (decimal): -90.05667
 Remarks: Excursion vessels berth end-to shoreline at wharf. □ □
 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 22400 Dock Code: 011 Memphis District

Port Series No. 71 **Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954** **AHP**

Port: **Memphis**
 Waterway: **Wolf River** Mile: 736 PWD: 55
 Name: **Mud Island, Harbor Patrol Boat Dock.**
 Location: Mile 0.6, right bank, Wolf River, below Mud Island Tramway Bridge, mile 735.8 AHP, Datum: LWRP
 left bank, Mississippi
 Operator: City of Memphis Police Department.
 Owner: City of Memphis.
 Address: Phone: 901-521-9398
 Town: Memphis State: TN County: Shelby
 Railway Connection: None.
 Purpose: Mooring harbor patrol craft.
 Depth Alongside (feet): 10 | 8 - 10 | 8 - 10 Latitude (decimal): 35.148056
 Total Berthing Space (feet): 25 | 85 | 45 Longitude (decimal): -90.05722
 Remarks: Office and storage shed are located on wharf. ☐ ☐
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22400 Dock Code: 012 Memphis District

Port: **Memphis**
 Waterway: **Wolf River** Mile: 736 PWD: 52
 Name: **Patton-Tully Transportation Co. Dock.**
 Location: Mile 2.6, left bank, Wolf River, 0.5 miles below Wolf River Dam, mile 735.8 AHP, left Datum: LWRP
 bank, Mississippi
 Operator: Patton-Tully Transportation Co.
 Owner: Patton-Tully Transportation Co.
 Address: 1242 N. Second Street Phone: 901-526-1400
 Town: Memphis State: TN County: Shelby
 Railway Connection: One surface track serves storage yard in rear; connects with Illinois Central Railroad.
 Purpose: Mooring company-owned floating equipment, floating drydock and vessels and barges for repair.
 Handling supplies and equipment.
 Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 35.175556
 Total Berthing Space (feet): 1400 | | Longitude (decimal): -90.04639
 Remarks: One 700-ton capacity, floating drydock is moored at bank. Marine contractor's offices and storage yard
 are located in rear. ☐
 Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22400 Dock Code: 061 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Wolf River** Mile: 736 PWD: 49
Name: **United States Coast Guard Group, Lower Mississippi River, Memphis**
Location: Mile 1.4, left bank, Wolf River, 0.5 mile above Interstate Highway 40 Bridge, mile Datum: LWRP
735.8 AHP, left bank,
Operator: United States Coast Guard Group, Lower Mississippi River.
Owner: U.S. Government.
Address: Foot of Auction Street Phone: 901-544-3912
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track in rear connects with Illinois Central Railroad.
Purpose: Mooring Coast Guard vessels handling navigation aids, supplies, and equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.158889
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.05083
Remarks: One 4-inch, sewage pump-out line serves facility. USCG Cutter 'Kankakee' usually is based at facility.□

Year of Last Survey: 1992 Corps of Engrs Waterway Code: 22400 Dock Code: 031 Memphis District
